

**Aurora - Il vostro fornitore della Cina del casco di esperti, Alibaba Altamente
consigliato.**

--- Nuovo casco di sicurezza disegno con buona qualità

Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certified
Color: Clear
Weight: 65g

New Products



<http://www.helmetsupplier.com>

(2)

Nuovo casco di specifiche di sicurezza di progettazione.

Modello numero:	AU-M02 Nuovo casco di sicurezza disegno
Materiale:	plastica PP
Materiale interno:	rivestimento superiore dell'unità di elaborazione, sistema di sospensione tessitura di nylon
Materiale esterno:	ABS / Shell PP
fascia per capelli	PE Polietilene
dimensione universale	51-62cm
peso	375g (cuffie non incluse)
Lampada Sistema di trasporto	Nylon esterno clip 6.6 della lampada
Colori disponibili regolari	Bianco, blu, giallo limone, arancio, limone verde, blu
Tecnologia:	INIEZIONE
Certificazione:	Certificato da CPSC / CE EN 397 sicuro e affidabile
Miglior uso:	sicurezza sul lavoro altezza, la protezione Industrial
Genere :	Unisex
Stile:	Colori assortiti casco ad alta densità
Colore:	PANTONE
MOQ dell'OEM req	2000 PCS
Tempo del campione	1 giorno
tempo di piombo Bulk	Entro 40 giorni dopo i campioni confermati e ricevute di deposito
particolare dell'imballaggio	1. Sacchetto dei pp, sacchetto del PE, carta della bolla, scatola di colore e di progettazione personalizzata è accolto favorevolmente. 2. scatola di imballaggio esterno
Termini di pagamento	T / T, Western Union
abilità del rifornimento	600,000pcs / Mese
Mercati principali	Europa, America, Canada
I nostri standard internazionali di qualità:	CE EN397, EN12492 CE
La nostra forza:	1. set completo di test certificato 2. veloce rendendo il campione 3. Buon prezzo con la qualità di prima classe durata 4. tempo durevole e lunga 5. Alta vigore per la protezione 6. Consegna in tempo.

Le immagini del particolare di New casco di sicurezza disegno.

Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection






MICRO DIAL ADJUSTMENT

Quick release heading system, made by Nylon material.



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Noi rendere il riferimento secondo la norma ISO / DIS 6220 standard, più l'utente del esperienze che abbiamo accumulato dal mercato per oltre 22 anni da diverse marche che abbiamo lavorato, come LIMAR, Scott, DOLCE, ecc ... In altre parole, se 80 persone su 100 può andare bene Giro di Urto della testa, quindi più di 90 persone del 100 può andare bene la nostra testa del manichino.

costruzione safcasco lavoratore ety , Casco industriale con EN397 CE

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.



18pcs/ctn

color box: 26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

Il nostro sistema di controllo di qualità / QA



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

In-House Test Lab

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

CERTIFICATE / AUTHENTICATION



Verification of Compliance 

No. 02 1982 0004798 SA03746

Certificate holder: SHENZHEN AURORA SPORTS GOODS CO., LTD.
852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

Product (Model(s)): Track (Training) Helmet (Product) - A91599

Verification to: European CE Marking (EN 12492)

Issued by: Shenzhen EMCETEC (Physical Protection Equipment)

Shenzhen EMCETEC (Physical Protection Equipment) Co., Ltd.
No. 10, Lane 1, Dongyuan Industrial Park, Bao'an District, Shenzhen, Guangdong, China



Shenzhen Aurora Sports Goods Co., LTD.
852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

EC Directive 89/337/EEC
EMC

Shenzhen SGS Technology Co., Ltd.
No. 22, Lane 1, Dongyuan Industrial Park, Bao'an District, Shenzhen, Guangdong, China



Shenzhen Aurora Sports Goods Co., LTD.
852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

EC Directive 89/337/EEC
EMC

Shenzhen SGS Technology Co., Ltd.
No. 22, Lane 1, Dongyuan Industrial Park, Bao'an District, Shenzhen, Guangdong, China

Verification of Compliance 

No. 02 1982 0004798 SA03746

Certificate holder: SHENZHEN AURORA SPORTS GOODS CO., LTD.
852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

Product (Model(s)): Inflatable Safety Helmet (Product) - A91599

Verification to: European CE Marking (EN 12492)

Issued by: Shenzhen EMCETEC (Physical Protection Equipment)

Shenzhen EMCETEC (Physical Protection Equipment) Co., Ltd.
No. 10, Lane 1, Dongyuan Industrial Park, Bao'an District, Shenzhen, Guangdong, China



外观设计专利证书

外观设计专利号: 2015 3 0118 1440.8

申请人: 深圳市奥拉体育用品有限公司

设计人: 黄子强

专利类型: 外观设计

公告日期: 2015 年 11 月 18 日

授权公告日期: 2016 年 01 月 06 日



Test Report No. 8060048030348 Date: 2015.09.24 Page 1 of 4

UNIVERSAL ELECTRIC LTD.
852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

The following information was obtained from the manufacturer's product label:
Target Declaration: EMC (EN 55032)

Model Name: 6000

Site:
Address: 852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

Manufacturer:
Address: 852, Gushengyuan Building, Meixu Avenue, Longhua Town, Bao'an District, Shenzhen, Guangdong, China

Product Name:
6000

Shenzhen SGS Technology Co., Ltd.
No. 22, Lane 1, Dongyuan Industrial Park, Bao'an District, Shenzhen, Guangdong, China

Issue Reporting Date:
2015.09.24

Test Reporting Date:
2015.09.24

Test Report No.:
8060048030348



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



FAQ

1. Offrite il servizio dell'OEM ?

Si accettano ordini OEM per tutta la nostra caschi prodottaione linee, compresi i marchi e le etichette del cliente. Dopo molti anni di esplorazione e sviluppo, siamo sicuri che possiamo incontrare tutti le vostre esigenze. noi hanno anche potente R & amp; S globale , Appena ci dicono le vostre idee, la nostra R & amp; D team in grado di trasformare la tua idea ionto il prodotti in calcestruzzo, e si aiutano a passare le norme di prova relativi, garantire la senza intoppi la produzione di massa, anche aiutare a ottenere la massimizzazione del profitto.

2. Offrite ODM servizio?

Sì, Per soddisfare le diverse esigenze dei clienti, di solito reinvestiamo 20% del nostro fatturato annuale per sviluppo di un nuovo prodotto. Supportato da un team di 15-20 ingegneri altamente qualificati, abbiamo progettare e sviluppare nuovi stampi pubblici ogni stagione. Circa 5 o 6 nuovi modelli vengono rilasciati ogni mese, che diventano sempre più popolare dopo il lancio.

3. Potete fornire con un piccolo ordine di quantità? Sì noi tenere alcuni inventario con colore completo modi per soddisfare il vostro bisogno di diversità, possiamo accettare di mescolare i colori con una piccola quantity.

4. Qual è il tuo Politica del campione ?

offerta addebitato campioni in base alle esigenze dei clienti. I campioni saranno spediti a voi entro 24 ore dopo la conferma d'ordine (Se non c'è alcun logo). I campioni vengono consegnati dai corrieri con merci raccolgono.

5. Come per garantire gli interessi dei clienti?

Abbiamo 360 grado politica di garanzia:

a. Dopo aver approvato il campione, prima di effettuare un ordine e pagare per il deposito, cordiale benvenuto a fare una visita alle nostre fabbriche, siamo sicuri che si vuole essere fortemente colpiti da quello che abbiamo e che cosa possiamo fare.

b. Prima il la consegna, supportiamo i nostri clienti per organizzare il terzo per controllare la qualità delle merci, Se la produzione di massa non è lo stesso come il campione approvato, prenderemo la piena responsabilità.

c. Se non spediamo in tempo, faremo la vostra perdita.

Abbiamo a cuore ogni clienti, tutti i clienti possono godere del nostro servizio di VIP in qualsiasi momento.

6. Si può fare packaging personalizzato per il mio prodotto?

Sì, scatola di colore può essere stampato con il tuo logo e la lingua locale.

7. Qual è il metodo di spedizione offrite?

A. Per campione ordine, usiamo corriere come DHL, UPS, TNT, FEDEX, SME. DHL è il nostro preferiscono. tu possono anche organizzare la vostra scelta spedizioniere i beni da noi. noi anche merci della nave via della porcellana per i clienti Brasile e Russia, è facile da ottenere dogana.

B. Per ordine enorme, carico del mare è la scelta migliore. costruzione safcasco lavoratore ety , Casco industriale con EN397 CE