




QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

Getting The Right Fit

According to ISO / DIS 6220 standard, and keeps 90% fitting rate.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



Nylon & C



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



OFT W P



SOFT WASHABLE PADS

washable and interchangeable sweat band.

PLASTIC CLIPS LED HEADLAMP

ABS material, very easy to hold the lamp.



PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

□□□□□□□□□□
 □□□□□□□□□□12□/□□□□

□□□□□□□□73 X 58 X 35□□□□□□□□

□□□□6.50□□

□□□□□□□□1□/ PP□WTH□□□□□□□□12□□□□□□□□CARDBOARD

Our In-house Testing Lab



□□□□

□□□□□□□□□□□□□□□□

1. 原料準備 → 2. PC原料準備 → 3. PC原料準備 → 4. 原料準備 → 5. EPS原料準備 → 6. EPS原料準備 → 7. 原料準備 → 8. 原料準備 → 9. 原料準備 → 10. IQC → 11. 原料準備 → 12. 原料準備 → 13. 原料準備 → 14. 原料準備 → 15. 原料準備 → 16. 原料準備 → 17. 原料準備 → 18. 原料準備 → 19. 原料準備 → 20. 原料準備

Production Procedure

