

□□□□□□□□□□, □□□□□□□□ **AU-T01**

2015 new developed racing TT cycle helmet

2015 professional aero time trial bicycle helmet with CE .

HOT



- Model No.: AU-T01
- Vents: 13 vents
- Weight: 320 g
- Size: S/M: 54-58cm
M/L: 58-62cm



Three pieces of PC shell can be separate and replaced by different colors.

□□□ □□□ □□□ □□□ □□ □□ :

- □□ □□□ □□ □□ : □□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□□, □□□ □□□ □□ □ □□□□.
- □□□ **PC** □□ □□ PC □□□ □□ □□ □□□ □□□ □□□ □□□ □ □□□□□, □□□ □□□ □□□ □, □□ □□ □□ □□ □, □□ □□□ □□□ □□ □□, □□□ □□□□ □□□ □□ □□ □ □□□□.
- **EN166** □ □□□ □□ : □□□□□ □ □□ □□, □□, □□□□□, □□□□, □□□□, □□ - □□ □ □□ □□□ □ □□□□.
- □□ □□ : (□□□□□ □□) □□ □□ PC (□□ □□□□□) + EPS □.
- □□□ □□□□: □ □□□ □□ □□ □ □; □□ □□ □□ □□; □□□□ □□□ □□;
- □□: CE-EN1078 □□ □□□ □□ □□.

□□□ □□□ □□□ □□□ □□□ :

□□ □□	AU-T01
□□ □□	□□□ EPS □ (□□ □□□□□)
□□ □□	+ □ □□□□□ □□ PC □□ □□ PC (□□ □□□□□) □
□□ □□	□□
□□	CE EN1078
□□	13 □□□
□	□□, □□□ □□
□□ / □□ □□	S / M (54-58CM) M / L (58-62CM)
□□	320g
□□ □□□□	□□-□□-□□, □ □□ □□ □□□, □□ □□□ □□, □□□ □□□
MOQ	300PCS
□□□ □□ □□	PP □□ + □□ □□ □□ □□ + mastercarton

□ □□ □□ □□□ □□□ □□□ □□□ :



Eight color ways



GOGGLE

Including face grille conforming to EN 166/174 for excellent protection against fog and scratch.



Three pieces of PC shell can be separate and replaced by different colors.



SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.





**EN166,EN174
Certificated**





ෆෆෆෆ ෆෆ ෆෆෆෆ:

ෆෆෆෆ, ෆෆෆෆ ෆෆ & A ෆෆෆෆ; ෆෆ ෆෆ 24 ෆෆ ෆෆෆෆ ෆෆ ෆෆෆෆ ෆෆ. ෆෆෆෆ ෆෆෆෆ ෆෆ ෆෆෆෆ ෆෆ ෆෆෆෆ ෆෆෆෆ ෆෆෆෆ ෆෆෆෆ R & A ෆෆ ෆෆ ෆෆ ෆෆෆෆ ෆෆෆෆ ෆෆෆෆෆෆ D support.We ෆෆෆෆ ෆෆ ෆෆෆෆ ෆෆෆෆ ෆෆෆෆ ෆෆ ෆෆෆෆ ෆෆ ෆෆ ෆෆ ෆෆෆෆ ෆෆ, ෆෆ ෆෆෆෆ ෆෆ ෆෆෆෆෆ ෆෆ, ෆෆ ෆෆෆෆෆෆ, ෆෆ ෆෆෆෆෆ ෆෆෆෆ, ෆෆෆෆෆෆෆෆ ෆෆ ෆෆ ෆෆෆෆෆෆ ෆෆ ෆෆ ෆෆෆෆෆෆ ෆෆ ෆෆ ෆෆෆෆෆෆ.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520


DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	



The Dial of Adjustment can be interchangeable with LED light

□ □□ □□ □□ □□ □□□□ □□:

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□□□ □□□□ □□ □□ □□□□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□□□.

□□□ **headform :**

□□□ □□□ □□□ considerably □ □□□ □□□□ □□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101

<p>European Headform</p> <p>An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.</p>	<p>Generic headform</p> <p>A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.</p>	<p>Asian headform</p> <p>A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.</p>
---	---	--

□□□ □□□ □ :

□□ □□□ □□□ □□, □□□ □□□□ □□ □□ □□□□□□, □□ □ □□ □□□□ □□! □□ □□□□ □□□□ □□ □□ □□□ □□ □□□ □□ □□□□ □□ □□□□.

& A 00000; 00 0 00! 000 00 0000 0000 0000 0000 00 00 0000 00 0 0 00000 00000 0000 00 0 0 00000 0 0000, 00 0000 00 0 0000 0 00000!

Our In-house Testing Lab



00:

0000 0000000 : 0000 ISO9001, 00 00, CE 0000 0000, 0000 0000 00 0000 00 0 0 0000 00 0000 00 0000 0000

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ □□□ □□□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□ □□, □□□□ & A; □□ □□□ □ □□□ □□ □ □□□! □□□□ □□□□ □□□□ & A □□□□ □□ □□ □□□ □□ □□□□; □□□□ □□□□ □□ □□□ □□ □□□□! □□□□ □□ □□ □□ □□ & A □□□□ □□□□ □□; □□ □□□□, □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□! □□□□ □□, □□ □□ □□□□ □□ □□ □□□□!

SHIPPING

