

[🔗 📄 01, 02 0000 00, 0, 00 AU-S02 00](#)

0 00	0 00, 00 0000 00, 0, 00 AU-S02 00
00 00.	AU-S02
00 00	PC 00 + 000 0 00 0000
00 00	00 00 EPS (00 00000)
00 00	PC + EPS 00
00 00	CE EN 1,077
00 / 00 00	S : 51-55cm M : 56-59cm L : 60-62cm
00	400g
0	PANTONE
00 00	3-7 0
MOQ 0 OEM	(300) PCS
00 00	1.PP 00, 00 00, 00 00, 0 00 0 00 00 00 0000.
	2. 00 00 00 00

[🔗 0 00 0000 00 :](#)

1. 000 2015 000, 00 000 0000 00000.
 2. 000 00 : 00 0 000 0 00 00, 00.
 3. 000 ABS 0, 00 000 00 0 000.
 4. 00 00 00 EPS 00, 000 00 000 000 000 00 000 00, 00, 00 00 0.
- 0 360 00 00 000, 000 00 00 00 000 00 00 00 00 0000.
- 6.0000 0000 & A 000; 000 00 00 00 PP 00, 0 000 00 00 00 000 000 00 & A000; 00 0000 00 00000. 00 0000, 000 00 00 & A0 00; 00 000 00, 00 0000 00 0000000.











□□ □□ □□□ □□ :

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□ □□ □□□ □□ □□ □□□□□□.

□□ **headform :**

□□ headform □□□ □□□ □□□ □□□ □□ □ □□ □□□ □□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ □□□ □□ considerably □□ □□□ □□□ □□ □□ □□□□□□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□ □□□ □□, □□□ □□□□ □□ □□□□□□, □□ □ □□□ □□□□ □□! □□ □□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□ □□□□; □□ □ □□! □□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□ □ □ □□□□ □□□□ □□□ □□ □ □ □□□□ □ □□□, □□ □□□ □□ □ □□□□ □ □□□□□!

Our In-house Testing Lab



□□:

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CERTIFICATE



15

R & A, D, -

& A;

-

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□ □□, □□□□ & A; □□ □□ □ □□□ □□ □ □□□! □□□□ □□□□ □□□□ & A □□□□ □□ □□ □□□□ □ □□□□; □□□□ □□ □□ □□□□ □□ □□□□! □□□□ □□ □□ □□ □□ & A □□□□ □□□□ □□; □□ □□□□, □□□□ □□ □□□□ □□□□ □□ □□□□ □□□□! □□□□ □□, □□ □□ □□□□ □□ □□ □□□□!

SHIPPING

