□□□□□□□ □□□□□ □□□□□□ □□□□ □□□□ □□□□ AU-M02 □□□□ □□□□ □□□□□ □□ □□□□□□□

:□□□ □□□□□□□ □□□□ □□□□□

.□□□□□ □□□□□ □ □□□□□□ □□□□ □□□ .1

□□□□□ □□□□□ □□ □ □□□□□□ □□□□□□ □□□ □□□□ □□□□ □□□□□□□ □□□ :□□□□ □□□□□□□ □□□□ □□□□□ □□□□ □□□□ .2

.□□□□□□ □□□□ □□□□□ □□□□□ □ □□□□□□□□ □□

.□□□□ □□□□ □□ □□□□□□□ □□□□□□ □□□□□ □□□ □□□□□ □□ □□□□ □ □□□□□ □□□□□ :□□□□□ □□□□□ .3

□□□□□□□ □□□□ .4 EPS+PP Shell.

6. .□□□□ □□□□□ □□□□□ .□□□□□□ □□□□□ □□□ .□□ □□□□□ □□□□ □□ □□□□□□□ □□□□ □□□□□ □□□□ :□□□□□□□□

□□□□□ .7: CE-CPSC-astm-as/nzs-tuv-en**397** .□□□□□□□ □□□□□□ □□□□□

□□□□ □□□□ AU-M02 □□□□□ □□ □□□□□□ □□□□□□□ □□□□□□□ □□□□□□ □□□□ □□□□□ □□□□ CE.

□□□□□□ □□□□□□□

□□□ .1 PP .□□□ □□□□ □□□□□□□ □□□□□ □ □□□□□

.□□□□□□ □□□□□ □□□□ □ □□□□□□ □□□□□□ □ □□□□□□ □□□□□ .2

.□□□□□ □□□□□ □□□□□□ □ □□□□□□□□□□ □□□□□□ □□□□ □ □□□□□□□□ □□□□□□□ □□ .3

.□□□□□□ □□□□□ □□□□□□□□□□ □□□□□ □□□□□□□ □□□□ .4

□□□□□ □□□□□ □□□□ □□□□.□□□□□□□ □□□□□□□□ □□□□□ □□□□□□□□ □□ □ □□□□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□ .5

.□□□□□□ □□□□ □□□□ □ □□□□□□ □□□□ □□□ □ □□□□□ □□ □□□□□□ □□ □□□□

□□□□ prduct (□□□□□□□□ □□□□)

Helmet accessories available

aurora helmet with plastic visor
The set is compatible with our special visor and earmuff.

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
Visor	plastic with eye protection
earmuff	good sound insulation

aurora helmet with LED light.

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
Led light	headlamp led light

aurora helmet with ear protection and mesh faceshield

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
earmuff	good sound insulation
faceshield	iron mesh

Area of application safety helmets

□□□□□□ □□□□□□

□□□□□□	□□□□	□□□□□□□
1. □□□□□□ □□□	□□□□□□ □□□□	□□□ □□□□ □□□□ □ □□□□□□ □□□□ □□□□ □ □□□□□□□□□ □□□□ □□□□□ □□□□ □ □□□□□□ □□□□□ □□□□□ □□□□ □ □□□□□ □□□□□ □□□□ □□□□ □ □□□□□□□□□□ □□□□□ □□□□ □□□□□□
2. □□□□□ □□□	AU-M02	
3. material	ABS/PP Shell+ PU Padding+ □□□□□ □□□□ □□□□□□	□□□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□□□□□□ □□ □□□□□ □□□□ □ □□□□□□□ □□□□□ □□□□□□ □□□□□□ □. EPS+PC inmould □□□□ □□□□□ □□□□ □ □□□□ □□□□ □□□□□ □□□□□ .□□□□□□ □□□□□ □□□ .□□ □□□□□ □□□□ □□ □□□□□□□
4.Certificate	en 397	
5. □□□□□	□□□□□□ □□□□□□□□□ □□□□□ □□□□ □□□□ □□□□ □□□□□□ □□□□□□□ □□□□□□	
6. □□□□□	□□ 62-51) □)	□□□□□□□ □□□ □□ □□□□□□□□□ □□□□□□□□ □□□
7.logo	□□□ □ □□□□□□□ □□□□□□□ □ □□□□□□□□ □□□□□ □□□ □ □□□□□□□.	
8.moq	500 □□□□□□□ □□□□	300 □□ □□□ □□ □□□ □□ □
9. □□□□□ □□□□	PayPal T/T □ Western Union □ L/C	
10.Carton □□□	73*58*35 □□	
11.Packing	12pcs/ctn	10pcs Master CTN
12. □□□□□ □□□□□	□□□	
13.Shipping Metho	□□□□□□ □□□□ □□ □□ □□□□□ □□□□ □□	□□□□□□□

14. □□□□□ □□□□	4-7 □□□□	□□ □□□□□□ □□□□□□ □□□□□□ □□□□□ □□ □□□
15 □□□□□□ □□□	20-30 □□□□□□ □□□□	□□□□ □□□□□ □□□□ □□□□□ □ □□□□□□□ □□□ □□ □□□□□□ □□□□□□ □□□ □□□□□□

Strictly QC before shipment

PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
http://www.proqc.info

Final Inspection Report **No.: GZHG1302003863CE**

RESULTS

Based upon the results presented,the inspected lot is judged to have been:	PASS	REJECTED	PENDING
	√		

INSPECTION CHECK POINTS

	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√		12
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing: with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		

aurora
http://www.aurorasport.com

□□□□ □□□□□□

:□□□□□

□□□ □□□□□□□ □□□□ □ □□□□□□□ □□□ .□□□□□□□ □□□□□□□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□
.□□□□□ □□ □□□□□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□□□ □□□□□□□ □□ □□ □□□□ .□□□□ □□□□□□ □□□□□□□

:□□□□□□

□□□□□ □ □□□□□ □□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□ □□□□ □□□□□ □□□□ □□□□□ □□□
□□□□□ □□□□□□ □□ □□ □□□□ .(□□□□□□ □□□□ □□□□□□) □□□□□□□ □□□ □□□□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□
.□□□□ □□□□ □□□

:□□□□

□□□ □□□□ .□□□□□ □□□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□□ □□□ □ □□□□ □□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□□
.□□□□□ □□□□ □□□ □□□□ □ □□□□ □□□□ □□□□□□□ □□□ □□□ □□□□ □

:□□□□□□□

□□□□ □□□□□ □□ □□□□□□ □□□ □□ □□□□□ □□□□ .□□ □□□□□□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□
□□ □□□□□ □□□ .□□□□□ □□□□□ □□□□□□ □□□□ □□□ □ □□□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□ □□□□□□ - □□□□□
.□□□□□ □□□□ □□ □□□ □□□□□□ □□□□□

:□□□□□ □□□□□
□□□□□□ □□□ □□□□□□ □□□□ □□□□□ □□ □□□□□□□ □□□ □□□□.

Why choose aurora?

1.Real factory with machines and skilled workers.

2Experienced staffs in foreign trade

3 We can accept small order ODM and OEM order

4High level quality,with CE/EN1078 certification

5 Competitive price and fast delivery,all shipping method are accepted

6 Vary payment term method,LC TT Western Union or Paypal,please contact us ASAP

7 It is our will to grow bigger with our customers together

INNER HOUSE TESTING

AURORA

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

SHIPPING