

407	. 407 10g PP + EPS CE EN12492 ABS
----------------------------	--

:




PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.



SOFT WASHABLE PADS

washable and interchangeable sweat band.



SLOT FOR EARMUFF AND MASK


CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection





MICRO DIAL ADJUSTMENT

Quick release headring system, made by Nylon material.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Headform ☐:

☐ Headform is used to test the helmet's ability to protect the head from impact. The headform is a mannequin head that is used to simulate a human head. The headform is used to test the helmet's ability to protect the head from impact.

headform ☐:

☐ Headform is used to test the helmet's ability to protect the head from impact. The headform is a mannequin head that is used to simulate a human head. The headform is used to test the helmet's ability to protect the head from impact.

headform ☐:

☐ Headform is used to test the helmet's ability to protect the head from impact. The headform is a mannequin head that is used to simulate a human head. The headform is used to test the helmet's ability to protect the head from impact.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

මෙමගින් මෙමගින් මෙම මෙම මෙමගින් මෙමගින්:

මෙමගින් මෙම මෙමගින් → මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින්
 මෙමගින් මෙමගින් → EPS මෙමගින් මෙමගින් මෙමගින් මෙමගින් → EPS මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින්
 මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින්
 මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් මෙමගින් මෙමගින්
 මෙමගින් මෙමගින් මෙමගින් → මෙමගින් මෙමගින් → මෙමගින් මෙමගින් →.



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

Our In-house Testing Lab



000000 000000 000 00 .000000 0000000 000000 00000 0000000 000000 .000000 0000 00 000000 000000 0000 00000
 000000 000000 000 0000000000 000000 000000 00 000000 000000 000000 000000 000000 000000000000 000 .00000000 000000
 0000 00 00000 00 0000 0000 00000000 00000000 00000000 0 00 0000000 00000000 000000 000000 00000 .0000000000
 000 0000000 assistance.Make 0000 0000 000000 00000 00000 00!

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



--- *****

***** ***** :*****

***** :***** OEM *****

R & ***** D: *****

***** :*****

***** :*****

***** :*****

1. 2023 年 1 月 1 日以前に作成された資料のうち、
 2. 2023 年 1 月 1 日以後に作成された資料のうち、
 3. 2023 年 1 月 1 日以後に作成された資料のうち、