


Hot Prodej Nově design ochrannou přilbu AU-M02, dodavatelé ochranná přilba v Číně

Detailní popis konstrukcí helmy:



p
C
o
i
a
s
t
i
c
k
y
h
l
e
d
i
v
p
C
T
g
á
s
s
m
á
s
k
á
b
r
ý
e
ž
e
l
e
z
o
p
e
t
i
v
o

o
d
n
f
m
a
t
e
l
n
é
a
o
m
y
v
a
t
e
l
n
é
o
o
l
s
t
r
o
v
á
n
f
H
a
v
a
ú
p
r
a
v
a
z
á
m
h
e
J
m
e
d
é
t
y
n
h
e
m
a
p
á
s
e
k
s
t
a
n
d
a
r
d
n
f
l
T
W
p
é
z
k
a
h
e
m
a
p
o
r
u
h
d
é
l
k

1.
p
p
T
a
s
k
a
,
p
E
T
a
s
k
a
,
p
u
c
h
y
r
k
a
r
t
a
,
b
a
r
v
a
b
o
x
@
b
@
e
s
i
d
e
m
@
a
z
k
a
z
k
u
j
e
v
r
t
á
n
2
.L
e
p
e
n
k
o
v
á
k
r
a
b
i
c
e
o
b
a
i
m
i
m
o

Designer přileb Příslušenství k dispozici:

- 1) Ochranná přilba s LED světlem: svétlometů AA / AAA led světla,
- 2) Ochranná přilba s ochranou uší a mesh Obličejový štít:

Odolná skořepina Earmuff je vyrobena z vysoce nárazu odolný ABS material. The extra měkké polstrování poskytne maximální utěsnění, pohodlí a kompletní sluch protection. It je vhodný pro lidi, kteří pracují v hlučném vysoké pracovišti.

- 3) Ochranná přilba s plastovým průzorem:

- Montážní systém New clona je vyrobena z polykarbonátu a umožňuje dvě polohy: UP na horní straně helmy a dolů pracovní polohy.
- Polykarbonátová konstrukce odstraňuje oxidaci a ztrátě tradičních upevňovacích šroubů.
- Rozšířená ochrana obličeje povrchem
- Je vybaven ochrannou fólií, které mají být odstraněny před použitím.
- Certified CE EN166, anti-mlha, anti-poškrábaný.

Na detail fotografie ochranné přilby:

Nine color ways



HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

Naše top prodávající Bezpečnostní přilba je dobře větraná s PP shell a Dodává se s popruhy zavěšení 4 bod systém. Přilba je dodávána s 4 klipy nesoucí vnější světlo, nový Up-N-Down úprava velikosti systém s centrálním rohatky a dvě boční prst tlačítka křídélka do konečného uložení. Poskytl jsme devět barvy pro váš výběr: BÍLÝ, ČERVENÝ, Yellow, POMERANČOVÝ, ZELENÁ, MODRÝ, ČERNÝ, GREY, RŮŽOVÝ. Helma je dodávána s deseti přívody vzduchu, které zajišťují účinné chlazení a větrání. Přívody vzduchu na vnějším plášti je opatřen ochranným hliníkovým proti-narušení mřížka, která zabraňuje vstupu nečistot do helmy. Jestliže elektrikář, kteří chtějí mít funkci ochrany izolace, materiál Přívody mohou být změněny do nylonu.

Comfortable fit with various heads



VERY GOOD!!



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Pohodlné nošení s různými hlavami:

rychloupínací ratchet pojistných událostí, nové a patentovaný systém nastavení velikosti Up-N-Down poskytuje nejvíce přesné a pohodlné nošení.

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp & paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

Oblast bezpečnostních aplikací přileb:

Generátor elektřiny, Železo věž, stanice BTS, Těžba uhlí, Práce ve výškách, Petrochemický rafinace, Offshore ropy a zemního plynu, instalatér, údržba lanovky, mobilní zařízení údržba, Údržba a opravy letadel, Pulp & papír, civilní infrastruktura, Moře zachránit, střešní Čištění, Turistika..

Helma Příslušenství k dispozici:

- 1) Ochranná přilba s LED světlem: světlometů LED osvětlení,
- 2) Ochranná přilba s ochranou uší a mesh Obličejový štít: Klapka na uši dobrá zvuková izolace, Obličejový štít železné pletivo,
- 3) Ochranná přilba s plastovým kšiltem Sada je kompatibilní s naším Zvláštní hledí a Earmuff: Hledí plast s okem ochrana, Klapka na uši dobrá zvuková izolace,



Accessories



EARMUFF

The durable shell of earmuff is made out of high impact resistant ABS material. The extra soft ear cushions provide you maximum seal, comfort and complete hearing protection. It is suitable for people who work in the high noisy workplace.

Conform to the standard :
CE EN 352-3:2002.
 Certified by:
INSPEC **CE** 0194



FACE SHIELD

this face shield is fitted for safety helmets, and it is widely used in cutting, grinding, building and mechanical industry. the raw material with UV protection is imported from Bayer Company of Germany. 1mm and 1.5mm thickness is available for you.

Conform to the standard :

ANSI Z87.1-2003
 CSA Z94.3-07

CE EN 166:2002-04

Certified by:

UL **QIN** **CE** 0194



FACE SHIELD

Iron mesh face shield provides great protection for head, face and hearing. Easy to install or install.

Conform to the standard :

CE EN 1731:2006F

ANSI Z87.1-2003

Certified by:

UL **INSPEC** **CE** 0194

KLAPKA NA UŠI:

Odolná skořepina Earmuff je vyrobena z vysoce nárazu odolný materiál ABS. Mimořádně měkké polstrování poskytne maximální utěsnění, pohodlí a kompletní ochranu sluchu. Je vhodný pro lidi, kteří pracují v hlučném vysoké pracovišti.

OBLIČEJOVÝ ŠTÍT:

Tjeho štít je vybavena pro bezpečnostní helmy a to je široce používán v řezání, broušení, budova a mechanické průmyslu. Surovina se ochrana proti UV záření se dováží ze Bayer Company Německa. 1 mm a 1,5 mm tloušťka k dispozici pro vás.

OBLIČEJOVÝ ŠTÍT:

Iron pletivo obličejový štít poskytuje skvělou ochranu pro hlavu, obličej a sluch. Snadná instalace nebo instalace.



New visor arrives !

Hello, my dear friends, our visor is coming finally after our half years development ! come and have it. i believe you will be surprised when you get it, go go go !

ANTI - FOG
ANTI - SCRATCH



Two colors:
smoke, clear





MODEL : 3A



Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	168 lm for 30 h	4270 cd	110 m for 30 h	30 h
	Mid	76 lm for 55 h	1970 cd	65 m for 55 h	55 h
	Low	11 lm for 120 h	310 cd	9 m for 120 h	120 h
	S.O.S	17 lm	n/a	n/a	n/a
red	High	n/a	n/a	8 m for 80 h	80 h
	Strobe	n/a	n/a	n/a	n/a

***All above data tested for 100% real & accuracy



MODEL : 1A



Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	100 lm for 8 h	850 cd	95 m for 8 h	8 h
	Mid	40 lm for 13 h	280 cd	45 m for 13 h	13 h
	Low	6 lm for 38 h	55 cd	6 m for 38 h	38 h
	S.O.S	10 lm for 80 h	n/a	n/a	80 h
red	High	4 lm	n/a	5 m for 18 h	18 h
	Strobe	n/a	n/a	n/a	40 h

***All above data tested for 100% real & accuracy



CAVING

Battery Replacement

MODEL : 3A		MODEL : 1A	
Step 1 Undo the plastic button on the light head	Step 2 Open the battery case as picture shown	Step 1 Undo the plastic button on the light head	Step 2 Open the battery case as picture shown
Step 3 Note the "+" and "-" of battery	Step 4 3 AAA dry battery or rechargeable battery	Step 3 Note the "+" and "-" of battery	Step 4 1 AA dry battery or rechargeable battery
Step 5 Put the battery as the picture shown	Step 6 Fasten battery case	Step 5 Put the battery as the picture shown	Step 6 Fasten battery case

Obvod hlavy znalostí nejlepší horolezecké přilby:

Evropská maketou hlavy:

Oválného tvaru přilba je určen pro hlavu jezdce s rozměrem, který je podstatně fit pro Evropany.

Generic Hlavice: c

Obecný makety hlavy přilba je určen pro jezdce hlavu s rozměrem, který je o něco delší front-to-back než jeho měření ze strany na stranu.

Asian Hlavice:

Kolo ve tvaru helmy je určen pro vedoucího jezdce s rozměrem, který je condierably vhodné pro Asiaty.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Osvědčení:

Zde je certifikát: máme ISO9001, královský patent, CE dokumenty, a máme vlastní laboratoř, aby se ujistil každý náš produkt může splnit požadavky na testování

CERTIFICATE



Výrobní postup je helma belÓw:

Sítotisk → PC puchýř náradí → Výroba PC puchýř → Ořezávání vykopal díru → EPS surovina různou hustotou → EPS In-Mold nástrojů → helma In-Mold workshop → In-mold strojích → in-formy nástrojů → in-formy procesu výroby → polotovary In-Mold helmy → inspekce IQC → helma broušení → Vnitřní výroba polstrování → vstřikování plastů workshop → montážní linky → uvnitř označování → obal → sklad → instalované čítače.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

Dodávka Express: