Aurora - váš odborník helmu, Alibaba vhodné dodavatele.

---čelit štít štít chránič ucha bezpečnostní helmy Chrániče uší

HELMETS

Nine color ways

AU-MO2

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK

Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

SAFETY HELMET

Helmet accessories available

Safety helmet with LED light.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
Led light headlamp led light

Safety helmet with ear protection and mesh faceshield
AU-M02 white
Red
Yellow
Orange
Blue
Green
black
earmuff good sound insulation
faceshield iron mesh

Safety helmet with plastic visor
The set is compatible with our special visor and earmuff.
AU-M02 white
Red
Yellow
Orange
Blue
Green
black
Visor plastic with eye protection
earmuff good sound insulation

Bezpečnostní helma specifikace.

Model č.	AU-M02 bezpečnostní helmy Chrániče uší
Materiál:	PP plast
Vnitřní materiál:	PU horní podšívka, Nylonový popruh systém zavěšení
Vnější materiál:	ABS/PP shell
Čelenka	Polyetylenové PE
velikost univerzální	51-62cm
hmotnost	375g (chrániče nejsou zahrnuty)
Lampa účetní systém	Vnější Nylon 6,6 lampa klipy
Dostupné barvy pravidelné	Bílá, modrá, citronově žluté, oranžové, zelené, modré
Technologie:	INJEKCE

Certifikace:	Certifikován CPSC / CE en 397 bezpečný a spolehlivý
Nejlepší využití:	výška bezpečnosti práce, ochrany průmyslového
Pohlaví:	Unisex
Styl:	Různé barvy s vysokou hustotou helma
Barva:	PANTONE
MOQ OEM req	2000 KS
Čas vzorku	1days
Doba realizace hromadných	Do 40 dnů po vzorky potvrdily a přijatých vkladů
Detaily balení	1. PP pytle, PE pytel, Blister karta, pole Barva a vlastní design je vítán. 2. kartonu balení mimo
Platební podmínky	T/T, Western Union
Možnost dodávky	600, 000pcs/měsíc
Hlavní trhy	Evropa, Amerika, Kanada
Naše mezinárodní kvalitativní standardy:	CE EN397, CE EN12492
Naše síla:	1. úplné sady testování certifikátu 2. rychle, takže ve vzorku 3. dobrá cena s prvotřídní kvalitou 4. odolný a dlouhou dobu životnosti 5. vysoký efekt pro ochranu 6. doručení na čas.

Detail fotografie ochrannou přilbu.

Comfortable fit with various heads

VERY GOOD!!

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

Helmet Shape 101

European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection

MICRO DIAL ADJUSTMENT

Quick release headring system, made by Nylon material.

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.

Safety helmet with visor exclusively for construction workers/tree cutting

EN166
EN174

CE Certificated
Color：Clear
Weight：65g

New Products

http://www.helmetsupplier.com

Standardní hlavice

Jsme vytvořit odkaz podle standardu ISO/DIS 6220, plus uživatele zkušenosti se nám nahromadilo z trhu více než 20 let různé značky, které jsme pracovali s, jako LIMAR, SCOTT, SLADKÉ, atd... Jinými slovy Pokud se vejde 80 osob 100 si Giro makety hlavy, pak více než 90 osob 100 vejde naše hlavy.



Packaging

18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability：2500pcs

The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

Náš systém QC/QA

Strictly QC before shipment

PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
http://www.proqc.info

Final Inspection Report **No.: GZHG1302003863CE**

RESULTS

Based upon the results presented,the inspected lot is judged to have been:	PASS	REJECTED	PENDING
	√		

INSPECTION CHECK POINTS

	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√		12
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing: with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		

Aurora
http://www.aurorasport.com

Interní testovací laboratoře

INNER HOUSE TESTING

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

Prosím, kontaktujte mě, jsem si jistý, že vás bude milovat náš pracovník bezpečnostní přilbu, když uvidíte skutečnou vzorku. Vidět znamená věřit!!!