

DeTail PÓpis konstrukcí přilby:

A
U
T
M
2
S
M
e
d
e
b
n
t
o
f
i
o
y
E
x
t
e
p
a
S
m
a
t
e
r
i
á
l
S
y
s
t
é
m
z
a
v
ě
s
e
v
n
4
b
o
b
u
m
á
k
e
v
á
l
t
n
i
p
o
d
l
o
ž
k
y
p
E
d
e
l
e
m
e
n
t
e

C
e
r
v
e
n
a
t
z
u
t
a
r
m
o
d
r
a
z
e
e
e
a
r
w
a
a
n
z
o
v
a
t
c
e
r
n
a
t
o
t
a
r
u
z
o
v
a
V
e
l
i
k
o
5
t
y
6
D
w
m
d
h
l
a
v
y
3
7
5
g
K
u
s
n
i
m
u
n
y
a
H
m
o
t
a
o
s
m
e
s
o
u
z
a
n
r
u
t
y
0

1 Venti il
ace v
z du
ch h
sh O
it w
to k
y m
ny i
no v
ou p
le t
v ou
Te k
h n
e k
o e
ie O
E E
N N
A A
n i
3 -
Z ab
as s
ov o
v t
k d
e n

o
d
n
f
m
a
t
e
n
é
a
o
m
y
v
a
t
e
n
é
o
o
s
t
r
o
v
á
n
f
N
a
s
t
a
v
e
n
t
z
á
m
k
u
n
l
á
v
r
y
p
á
t
b
y
h
e
m
y
T
e
t
o
r
o
n
s
t
a
n
d
a
r
d
n
s
o
o
n
a
l
T
W
t
d
é
t
o
o
o
r
u
u
o
r
a
o
y

1
t
p
o
t
a
s
k
a
t
a
s
k
a
p
p
E
t
o
s
t
r
o
v
á
k
a
r
r
t
a
t
o
a
t
D
e
n
h
a
s
k
b
a
j
k
a
n
a
n
a
m
r
u
e
v
i
t
á
n
a
t
2
t
o
a
j
e
n
i
k
a
r
r
t
o
n
n
ú
v
e
n
k
u

:

1) Bezpečnostní přilba s LED světlem:.

:

Odolná skořápka ucha je vyrobena z vysokého dopadu odolný materiál ABS. Extra měkké polštáře ušních uší vám poskytují maximální těsnění, pohodlí a úplná ochrana sluchu. Je vhodné Pro lidi, kteří pracují na vysoce hlučném pracovišti.

3) Bezpečnostní přilba s plastovým hledí:

- Nový montážní systém prosor je vyroben z polykarbonátu a umožňuje dvě pozice: nahoru na vrchol helmy a down-fungující polohy.
- Konstrukce polykarbonátu eliminuje oxidaci a ztrátu tradičních montážních šroubů.
- Rozšířená ochrana proti povrchu obličeje
- Vybaven ochranným filmem, který má být před použitím odstraněn.
- Certified CE EN166, Anti-More, anti-škrábané.

Podrobné obrázky ochranné přilby:



Nine color ways



Black color

White

Navy blue pantone 7689 C

Pink pantone 806

Red pantone 185 C

Lime green pantone 375 C

Yellow pantone 3965 U

Orange pantone 165 C

Grey pantone 432 C

HELMETS

AU-MO2

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor): 375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink



Náš nejlepší prodej Bezpečnostní přilba je dobře větraná s PP Shell a přichází s 4 bodové pozastavení popruhu systém. Helma přichází se 4 klipy nesoucími externí světlomety, nový Nahoru-n- Systém nastavení velikosti dolů s centrálním kotoučem ráty a dvěma bočními Finger Push Winglets pro konečné přizpůsobení. Pro váš výběr jsme poskytli devět barev: BÍLÝ, ČERVENÝ, Y Ello, POMERANČOVÝ, ZELENÝ, MODRÝ, ČERNÝ, Gre Y, RŮŽOVÝ. Přilba je dodávána s deseti přívody vzduchu, které poskytují efektivní chlazení a větrání. Přívody vzduchu na vnější skořápce jsou vybaveny ochranným hliníkový anti- Intruzní mřížka, která zabraňuje vstupu zbytků do přilby. Pokud pro elektrikář, který chce mít funkci ochrany izolace, materiál Přijem lze změnit na nylon.

Comfortable fit with various heads



VERY GOOD!!



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

:

Rychlý uvolnění Ratchet Adjustry, nový a proprietární systém nastavení velikosti UP-N-Down poskytuje nejpresnější a nepohodlnější přizpůsobení.

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

:

Výroba energie, Železo věž, Stanice BTS, Těžba uhlí, Pracovat ve výšce, Petrochemický rafinace , offshore olej a plyn, instalatér, údržba lanovky, Mobilní závod údržba, Údržba letadla, Buničina a papír, Civilní infrastruktura, Moře zachránit, Čištění střechy, Turistika ..

:

1) Bezpečnostní přilba s LED světlem:.

2) Bezpečnostní přilba s ochranou uší a síťové faceshield: Klapka na uši Dobrá izolace zvuku,.

3) Bezpečnostní helma s plastovým hledí Sada je kompatibilní s naším Speciální hledí a uší: Hledí plast s okem ochrana, Klapka na uši .



Accessories



EARMUFF

The durable shell of earmuff is made out of high impact resistant ABS material. The extra soft ear cushions provide you maximum seal, comfort and complete hearing protection. It is suitable for people who work in the high noisy workplace.



Conform to the standard :
CE EN 352-3:2002.
Certified by:
INSPEC CE 0194



FACE SHIELD

this face shield is fitted for safety helmets, and it is widely used in cutting, grinding, building and mechanical industry. the raw material with UV protection is imported from Bayer Company of Germany. 1mm and 1.5mm thickness is available for you.



Conform to the standard :
ANSI Z87.1-2003
CSA Z94.3-07
CE EN 166:2002-04
Certified by:
UL **QIN** **CE** 0194



FACE SHIELD

Iron mesh face shield provides great protection for head, face and hearing. Easy to install or install.



Conform to the standard :
CE EN 1731:2006F
ANSI Z87.1-2003
Certified by:
UL **INSPEC** **CE** 0194

:

Odolná skořápka ucha je vyrobena z vysokého dopadu Odolný materiál ABS. Extra měkké ušní polštáře vám poskytují maximální těsnění, pohodlí a úplná ochrana sluchu. Je to vhodné Pro lidi, kteří pracují na vysoce hlučném pracovišti.

:

T jeho obličejový štít je vybaven pro bezpečnostní přilby a široce se používá při řezání, Broušení, budova a mechanický průmysl. Surovina s Ochrana UV je importována od společnosti Bayer Company Německa. Tloušťka 1 mm a 1,5 mm je K dispozici pro vás.

:

Iron Mesh Shield poskytuje skvělou ochranu pro hlavu, obličej a sluch. Snadno se nainstalovat nebo nainstalovat.



New visor arrives !

Hello, my dear friends, our visor is coming finally after our half years development ! come and have it. i believe you will be surprised when you get it, go go go !

ANTI - FOG
ANTI - SCRATCH

CE
EN 166

CE
EN 174



Two colors:
smoke, clear





MODEL : 3A

Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	168 lm for 30 h	4270 cd	110 m for 30 h	30 h
	Mid	78 lm for 55 h	1970 cd	65 m for 55 h	55 h
	Low	11 lm for 120 h	310 cd	9 m for 120 h	120 h
	S.O.S	17 lm	n/a	n/a	n/a
red	High	n/a	n/a	8 m for 80 h	80 h
	Strobe	n/a	n/a	n/a	n/a

***All above data tested for 100% real & accuracy



MODEL : 1A

Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	100 lm for 8 h	850 cd	95 m for 8 h	8 h
	Mid	40 lm for 13 h	280 cd	45 m for 13 h	13 h
	Low	6 lm for 38 h	55 cd	6 m for 38 h	38 h
	S.O.S	10 lm for 60 h	n/a	n/a	60 h
red	High	4 lm	n/a	5 m for 18 h	18 h
	Strobe	n/a	n/a	n/a	40 h

***All above data tested for 100% real & accuracy



CAVING

Battery Replacement

MODEL : 3A

Step 1
Undone the plastic button on the light head

Step 2
Open the battery case as picture shown

Step 3
Note the "+" and "-" of battery

Step 4
3 AAA dry battery or rechargeable battery

Step 5
Put the battery as the picture shown

Step 6
Fasten battery case

Battery Replacement

MODEL : 1A

Step 1
Undone the plastic button on the light head

Step 2
Open the battery case as picture shown

Step 3
Note the "+" and "-" of battery

Step 4
1 AA dry battery or rechargeable battery

Step 5
Put the battery as the picture shown

Step 6
Fasten battery case

Znalost obvodu hlavy o nejlepší horolezecké helmě:

Evropská forma hlavy:

Helma ve tvaru oválu je navržena pro hlavu jezdce s dimenzí, která je značně vhodná Pro Evropany.

Obecná forma hlavy: c

Obecná helma hlavy je navržena pro hlavu jezdce s dimenzí, která je o něco delší dopředu dozadu než její měření boku na stranu.

Asijská hlava:

Helma s kulatým tvarem je navržena pro hlavu jezdce s dimenzí, která je odůvodněná vhodné pro Asiaté.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Osvědčení:

Níže je náš certifikát: Máme ISO9001, dopisy patent, dokumenty CE a máme vlastní laboratoř, abychom zajistili, že každý náš produkt může splnit požadavky na testování


CERTIFICATE



o W:

hedvábná obrazovka → PC Blister Tooling → PC Blister Manufacture → Ořezávání vykopávací díry → EPS surovina s různou hustotou → EPS in-mold Tooling → Workshop helmy → stroje ve měsíci → nástroje ve měsíci → proces produkce ve formě → Poloautová helma → Inspekce IQC → Broušení helmy → Vnitřní polstrovací produkce → Workshop plastického vstřikování → montážní linka → uvnitř označování → balení → sklad → nainstalované čítače.

Production Procedure



Delivery Express:

International Express, Air Freight & Sea Transport jsou zde dobře uspořádány! Můžete si vybrat veškerou možnou dopravu, kterou chcete, a uděláme maximum, abychom vám pomohli! Již jsme si vytvořili dlouhodobý vztah s různými přepravními společnostmi a agentem pro přepravu, veškeré naše úsilí si klademe za poskytnutí nejlepšího zážitku z přepravy! Vyberte si nás, bude snadné udržovat přílby po celou dobu v bezpečí!