

[Aurora - su experto en casco de China, Alibaba recomienda proveedor.](#)

[---casco de seguridad de trinquete, casco de seguridad rojo](#)

Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:

Aluminum
Nylon

Helmet specification

Norm: EN 397

Outer shell: PP, Polypropylene

Size: universal 51-62cm headform

Weight: (without ear defenders or visor):375g

Attachment of headlamps: nylon clips

Color: white/red/yellow/orange/green/blue/black/grey/pink



SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black

Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black

earmuff good sound insulation
faceshield iron mesh



Safety helmet with plastic visor
The set is compatible with our special visor and earmuff.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black

Visor plastic with eye protection
earmuff good sound insulation



Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

casco de seguridad de trinquete especificación.

Modelo no.	Casco de seguridad de trinquete AU-M02
Material:	Plástico de los PP
Material interno:	Parte superior de la PU forro, sistema de suspensión de las correas de nylon
Material externo:	Cáscara ABS/PP
cinta para la cabeza	PE polietileno
tamaño Universal	51-62cm
peso	375g (orejeras no están incluidos)
Sistema de transporte de la lámpara	Exterior Nylon 6,6 lámpara Clips

Colores disponibles	Blanco, azul, amarillo limón, naranja, verde limón, azul
Tecnología:	INYECCIÓN
Certificación:	Certificada por la CPSC / CE en 397 seguro y confiable
Mejor uso:	trabajo de seguridad de altura, protección industrial
Género:	Unisex
Estilo:	Casco de alta densidad colores surtidos
Color:	PANTONE
MOQ del OEM req	2000 PC
Tiempo de la muestra	1days
Plazo de ejecución a granel	Dentro de 40 días después del depósito recibido y muestras confirmadas
Detalle del embalaje	1. PP, bolso del PE, tarjeta de la ampolla, caja de color y diseño de encargo se da la bienvenida. 2. embalaje exterior de cartón
Condiciones de pago	T/T, Western Union
Capacidad de la fuente	600, 000pcs/Month
Principales mercados	Europa, América, Canadá
Nuestros estándares de calidad internacional:	CE EN397, CE EN12492
Nuestra fuerza:	1. completo sistemas de certificado de pruebas 2. rápido haciendo la muestra 3. buen precio, con calidad de primera clase 4. durable y larga vida de servicio de tiempo 5. alto efecto para la protección 6. entrega a tiempo.

Las fotos de detalle de ratchet casco de seguridad.

Comfortable fit with various heads



VERY GOOD!!



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

Helmet Shape 101



European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection






MICRO DIAL ADJUSTMENT

Quick release headinging system, made by Nylon material.



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certificated
Color: Clear
Weight: 65g

New Products



Impactador simulador de cabeza estándar

Nos hacer la referencia según la ISO/DIS 6220 estándar, además el usuario experiencias que hemos acumulados en el mercado por más de 22 años de marcas que trabajamos, como LIMAR, SCOTT, DULCE, etc.... En otras palabras, si 80 personas de las 100 caben del Giro cabeza, luego de más de 90 personas de las 100 pueden encajar en nuestra cabeza.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.



18pcs/ctn

color box: 26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

Nuestro sistema de control de calidad y control de calidad



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

Laboratorio interno de pruebas

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

SHIPPING



[Póngase en contacto conmigo, I estoy seguro que le encantará nuestro casco de trabajador cuando vea la muestra real. Ver para creer!!!!!!](#)