



Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
 ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

- WHITE
- RED
- YELLOW
- ORANGE
- GREEN
- BLUE
- BLACK
- GREY
- PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
 Aluminum
 Nylon

Helmet specification

Norm: EN 397
 Outer shell: PP, Polypropylene
 Size: universal 51-62cm headform
 Weight: (without ear defenders or visor):375g
 Attachment of headlamps: nylon clips
 Color: white/red/yellow/orange/green/blue/black/grey/pink





SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

- AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black
 Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

- AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black
 earmuff good sound insulation
 faceshield iron mesh



Safety helmet with plastic visor
 The set is compatible with our special visor and earmuff.

- AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black
 Visor plastic with eye protection
 earmuff good sound insulation



Hear Commands Clearly

SPORTS COMMUNICATION BY AURORA

Good communication keeps you and your partner safe. However strong winds, rain, echoes and open spaces can make commands difficult to hear.

AURORA sports communication systems with its noise filtering Voice Activated Mic, and customised helmet mounting gives rock climbing enthusiasts a simple, Wireless solution for clearer communication.

2 simple steps - Pair and Activate, and you are set to go! When you are not communicating, the Mic automatically deactivates to minimise the transmission of any background noise.



CONTROL UNIT



HD HEADSET



Main Control Unit
Mounting Strap
also for attaching light
Volume Up/Down



Single Speaker with
Noise Filtering Mic



- Lightweight & Hands-free
- Frequency Hopping Technology
- Voice Activated Mic
- Up to 500m (2 pax)
- Rugged, Dust & Water Resistant
- Up to 10 hours Usage
- International Warranty



□□□□□□

□□□□□	AU-M02	ABS□□□□□□□□□□□□□□□□
□□□	PP□□□□□□	
□□□□□□□□	PU□□□□□□□□□□	EPS□□□□□
□□□□□	ABS / PP□□□□	
□□□□□□	PE□□□□□□	
□□□□□□□□□□	51□62□□□□□□□□	
□□	407□□□□□□□□□□□□□□□□	
□□□□□□□□□□□□	□□□□□□6.6□□□□□□□□	
□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□	
□□□	□□	
□□□	397□□□□□□□□□□	CPSC / CE□□□□□□□□
□□□□□□□	□□□□□□□□□□	
□□□	□□□□□□□	
□□□□□	□□□□□□□□□□□□□□□□	
□□	PANTONE	
OEM□REQ□MOQ	2000 PCS	
□□□□□□□	1days	
□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□	40□□□□□

物料名称	1. PP 2. PE
规格	T / T
数量	600,000pcs /
物料描述	
物料规格	CE EN397 CE EN12492
物料用途	1. 登山 2. 徒步 3. 露营 4. 高空作业 5. 洞穴探险 6. ...

ABS



Application field

New Arrival!!

Fashionable and Portable headlight



5 colors Optional

5 colors Optional



headlight strap

2 colors Optionalz



Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Packaging



18pcs/ctn

color box: 26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

Strictly QC before shipment



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>


Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
		√		
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		

□□□□□□□□

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test



PAYMENT AND SHIPPING



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



□□□□□□□□□□ L'm □□□□□□□□□□ □□□□□□□□□□ □□□□□□□□□□□□□□□□□□
□□□□□□