



□□ □□□□□□ □□□□□□□□□□:

1. □□□□□□□□□ 205 g □□□□
 2. □□□□□□□□□□: □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□
 3. □□□□□□
 4. □□□□ PVC □□□□
- 5 □□ EPS □□

6. 3-6

Material specification:

- Color: Pantone
- Material: EPS
- Size: M 52-57 CM;
- Weight: 205 g
- Color: Pantone
- Material: Headring PA ()

Technical specification:

Material	AU C02
Material	EPS & PVC
Material	CE EN1078
Material	6
Material	7
Material	M 52-57 CM
Material	205 g
Material	7
MOQ	300pcs
Material	PP + mastercarton

Material specification:











□□ Packagaing

□□: 12 □□□□/□□□□

□□□□□□□: 73 X 58 X 35 cm

□□□: 6.50 kg

□□□□□: 1 □□/PP wth □□□□□□□□□□□□ 12 □□



Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□□□□ □□

□□□□ (□□□□□□□□ □□□□□□□□□□) □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND



Logo style: Dome,Metal,UV-Dart sticker,Water decal..



□□□□□:

□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□□□□ → □□□□□□□□□□□□□□ → □□□□□ EPS □□□□□ → □□□□□ EPS → □□□□□□ □□□□□ □□□ □□□□□ → □□□□□□ → -□□□□□□ → □□□□□□□□ → □□□□□□□□□□□ □□□□□□ → IQC □□ → □□□□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□ □□□□□ → □□□□□□ □□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□□□

□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□

OEM & ODM: □□□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□ □□□□□□ □□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□

-□□□□□: □□□□□□□□ □□□□□, □□□□□□□□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

LOGISTICS:

Our logistics partners include DHL, UPS, TNT, EMS, etc.

SHIPPING

