

2017



□□:

- 鋼材 & 鋼骨コンクリート: 鋼材は引張強度が高く、鋼骨コンクリートは圧縮強度が高い。
- 鋼骨コンクリートは、引張強度が低いコンクリートに、引張強度の高い鋼材を組み込むことで、引張強度を向上させる。
- 鋼材の ϵ_s (引張ひずみ) は、コンクリートの ϵ_c (圧縮ひずみ) よりも大きく、鋼材は引張変形を大きく受ける。

□□□□

- ()

- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- 100%; 100%; 100%

100

- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

100%

- 100% 100% 100% 100% 100% 100% 100% 100%

100% 100%

- 100% 100% PU 100% 100%
- 100% 100% 100% 100%
- 100% 100%

100:

- CE EN1384 100% 100% 100% 100% 100%

100% 100% 100% 100% 100% 100% 100% 100% 100% 100%:

100% 100%	E06 100% 100% 100%
100%	abs 100% + 100% eps, 100% 100% 100% 100% 100% 100%
100%	100%, 100%, pu 100%
100%	VG1 100% CE
100%/100% 100% 100%	XXS-S (51-55 100%);S-M (55-57cm);M-L (57-59cm);L-XL (59-61cm)
100%	100% 100% 100% 100%
100%	100%
100% 100%	3-7 100%
moq	500 pc
100% 100%	100% 100%: 100% 100% 100% 100% 100%
	100% 100%: 9 pc/100% 100% 100%: * 32 * 53.5 67.5 100%

100% 100% 100% 100% 100% 100% 100% 100%:















HIGH EFFECTIVE AIR FLOW



Packagaing

数量: 9 pc/箱
 尺寸: 70.5 * 31.5 * 55.5 cm
 重量: 480 ±50g
 包装: 1pc/PP 箱 with 9 DC

测试:

测试 headform:

测试头模符合 EN 1077 标准，用于验证头盔的冲击性能。

headform 测试:

测试头模符合 EN 1077 标准，用于验证头盔的冲击性能。

测试 headform:

测试头模符合 EN 1077 标准，用于验证头盔的冲击性能，条件可调节。



测试:

本公司擁有先進之測試設備，可進行以下各項測試：
 EN1078、EN397、EN12492、EN1384、VG1 CPSC
 本公司擁有先進之測試設備，可進行以下各項測試！



本公司：
 擁有先進之測試設備：ISO9001、CE、CPSC、EN1078、EN397、EN12492、EN1384、VG1



□□□□: □□□□□□□□□□□□□□□□

With strict quality management system and first-class products

We can provide OEM and ODM service for customers

With professional and strong technical development team

We have our own
production line, to reduce
the price to a minimum

We constantly
introduce patented
technology products

Perfect after-sales service, so customer satisfaction

[illegible]

Turn your idea into a custom concrete product!



SHIPPING

