ASTM / CE VG1[illegible]

- [illegible]AU-H07[illegible]
[illegible]
[illegible]ABS[illegible]
- [illegible]EPS[illegible]
[illegible]
- [illegible]CE EN1384[illegible]VG1[illegible]ASTM[illegible]

[illegible]

[illegible]	au-h07
[illegible]	abs [illegible]+ [illegible] eps[illegible]
[illegible]	[illegible] pu [illegible]
[illegible]	CE EN1384[illegible]VG1[illegible]ASTM
[illegible]/[illegible]	[illegible] 52,53,54,55,56,57,58,59,60,61[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	3-7 [illegible]
mo	520[illegible]
[illegible]	[illegible]
	[illegible] 9. PCS /[illegible] * 32 * 53.5 67.5 cm

[illegible]Au-H07[illegible]

□□□□□□□□□□□□□□□□□□□

□□FT□□□□□3□□

UNRIVALLED ADJUSTMENT
FOR OPTIMUM COMFORT
Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.

FRIENDLY DESIGN
FOR WOMEN PONYTAIL
Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

□□□□□□□□□□

□□

ONE PIECE ANTIBACTERIAL
INNER PADDING
Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.

[illegible]

[illegible]ODM[illegible]

LUXURY BRANDING POSITION
Central flat space for logo labeling, it will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.

[illegible]

[illegible]

UtilitySuni Protection

□□ Engineering ABS□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□

□□□□□□□

□□□□□□□□□□9 PC /□□□□
□□□□□□□□□□□□□□□67 * * 31.5 52.5 cm
□□□□4.80 kg
□□□□□□□□□□□1□□/ PP□□□wth□□□□□□□□□□□□□□□□□9 dc

□□□□□□□□□□ r□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□ □□□□□□□□□□□

□□□□□□□□□□□

□□□

□□□□□□□□□□□□

□□□ □□□□□□□□□□□□

□□□□□□□□□□

□□□
□□□□EN1078□EN397□EN12492□EN1384□VG1 CPSC□EN1384□VG1 CPSC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□ISO9001□□□□□□□□□□CE□□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ → PC□□□□□□□□□ → PC□□□□□□□□□ → □□□□□□□□□□ → eps□□□□□□□□□□ → □□□□□EPS → □□□□□□□□□□□□□□□□ → □□□□ → □□□□□□ → □□□□□□□□ → □□□□□□□□□□□□□□ → IQC□□ → □□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□□□□□□ → □□□□□□□ →□□□□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□□□□