22[illegible]AU-B23[illegible]

[illegible] - [illegible]Alibaba[illegible]

[illegible]

[illegible]

[illegible]	10[illegible]
[illegible]	93X33X47 CM
[illegible]	7.0 KG



[illegible]

[illegible]OEM[illegible]

1□□□□□□□□

2□□□□□□□□&□038;□□□□;□□□□;□&□038;□□□□;□□□□;□□□□□

3□□□□□□□□

4□□□□□□□□□□□□ □ □□□

5 □□□□□□□□□□□ □□□□□□

6 □□□□□□□□□□□□□□□□□□□□□□PE□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□2012□□□□□□□22□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□
OEM□□□ODM□□□□□□□□□□□□□□□□□□□□R&□038;□□□□; D□□
99□□□
□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible]

[illegible]

	AU-B23 Turel[illegible]CE EN
[illegible]	EPS[illegible]PC
[illegible]	[illegible]EPS[illegible]
[illegible]	PC[illegible]
[illegible]	[illegible]
[illegible]	[illegible] CPSC / CE / T[illegible]-GS /[illegible]/ ASTM / REACH - [illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	22
[illegible]	PANTONE
[illegible]	M[illegible]55-59CM[illegible]L[illegible]57[illegible]61[illegible]
[illegible]	252[illegible]
[illegible]OEM REQ	300 PCS
[illegible]	3-5[illegible]
[illegible]	[illegible]35[illegible]
[illegible]	[illegible]PP[illegible]PE[illegible]
[illegible]	L / C[illegible]T / T[illegible]
[illegible]	600,000pcs /[illegible]
[illegible]	[illegible]
[illegible]	ASTM F1447-06 ASTM F1952-09 ASTM F1492-08 ASTM F1898-08 ASTM F1163-04a ASTM F2040-11 ASTMF1045-2007 CPSC 1203 BS EN1078[illegible]2012 BS EN1080[illegible]2002 + A2[illegible]2005 + A1 1997 BS EN1384[illegible]+ A1[illegible]1997 2002 BS EN1077[illegible]2007 BS EN1385-1998 + A1[illegible]2005 EN ISO10256[illegible]2003 AS / NZS2063-2008 + A1[illegible]2009 2006[illegible]/ NZS3838 AS

□□□□□□

□□□□□□□1.□□□□□
2.□□□□□□□□□□□□□
□□□□□□□3.□□□□
□□□□□□□□□□□
5.□□□□□□
□□□6□□□□

INNER HOUSE TESTING

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

PAYMENT AND SHIPPING

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP

SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

□□□□□□□□□□

□□ □□ISO / DIS 6220□□□□□□□□□□□□□□□ □□□□□22□□□□□□□□□□□□□□□□ □□□□□Limar□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ □□□...□□□SWEET□100□□□80□□□□□□□□□□□□□ □□□□□□□□□□□□□□100□90□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□□□□□

1.□□□□□OEM□□□□□□□□□□□□

□□ □□□□□□□□□□□□□□□□□□□□□□□□□□OEM□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ □□ □□□□□□R&□□□□□□□□□□□□□□□□□; D□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ R&□038;□□□□□; D□□ □□

2.□□□□ODM□□□□□□□□□□□□

□□□ □□□20□□□□□□□ □□□□□□□□□□□□□□□□□□□□ 15-20□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□5-6□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□

□□□ □□ □□□

4.□□□□□□□□□□□□□□□□

□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□24□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□

5.[illegible]

[illegible]360[illegible]

A.[illegible]

[illegible]

B[illegible]

C.[illegible]

[illegible]VIP[illegible]

6.[illegible]

[illegible]

7.[illegible]

[illegible]DHL[illegible]UPS[illegible]TNT[illegible]EMS[illegible] DHL[illegible]

B.[illegible]

8.[illegible]

T / T[illegible]

[illegible]