□□□□

□□□□□□□ □□	1. PP □□□□ PE □□□□ □□□ □□□□ □□ □□□□ □□□ □□□□□□ □□□□ □□□□□□□
	2□ □□□□ □□□□□□□ □□

□□□□□□□□□□□□□□□□□□□□□□

□□	□□□□□□	□□□□	□□□	□□□	□□□
□	□□	168 LM 30□□	4270 CD	110□□□□□□□30	30□H□
	□□□□□	76 $ 55□□	1970□CD	65□□□□55□□	55□□
	□□	120□□11□□□□	310 CD	9□□□□□120□□	120□□
	□□□□□□	17□□□□	□	□	□
□	□□	□	□	8 m□80□H□	80□□
	□□□□	□	□	□	□
□□□□□□□100□□□□&□038□□□□□□□□□□□□□□□□□;□□□□;□□□					

♦□□□□62 * 37 * 48□□□□□□
♦□□□□□50□□□□W / O□□□□□□
♦□□□□□□□□□□□□□□R3&□038;□□□□;□□□□; Ø5mm□□□□□□□□□□□□□
♦□□□□□□□□□/□□/□□
1.5□3□□□□□♦□□□
♦□□□□□DC 4.5 V
♦□□□□□□□□□□□□3 AAA□□
♦□□□□□□□□□□□□□□□□□PC
♦□□□IPX6□□□□□



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

NYLON STAP & LEATHER CHIN STRAP

Designed to limit risk of
losing helmet during a fall,
side strap-adjustment to assist with a proper fit.

SOFT WASHABLE PADS

washable and interchangable
sweat band.

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

Area of application safety helmets
Power generation
Iron tower
BTS station
Coal mining
Work at height
Petrochemical refining
Offshore oil and gas
Plumber
Cable car maintenance
Mobile plant maintenance
Aircraft Maintenance
Pulp&paper
Civil infrastructure
Sea rescue
Roof Cleaning
Hiking

□□□□□□□□□□

□□□□□□□□□

Packaging



18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability：2500pcs

The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

□□□□□□□□□□□

□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□ISO9001□□□□□□CE□□□□□□□□□□□□□□□□□□□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□

□□□□→□□□□□→□□□□□□□□→PC□□□□□□□□□□→PC□□□□□□□□□□□□□→EPS□□□□□EPS□□□□□□□□□□□→□□□□□□□□□□□□□□□→□□□□□□□□□→□□□□□□□□□□□→□□□□□□□□□□→□□□□□□□□□□□□□□□→IQC□□→□□□□□□□□□□□□□→□□→□□□□□□□□□□□→□□□□□□□□□□□□□□□□→□□□□□→□□□□□□□□□→□□□