

1.
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

Model	AU-M02
Material	PP
Weight	400g
Color	PE
Dimensions	6.6cm
Sound	30-35db NRR
Material	PC/PC
Weight	51-62cm
Weight	375 g
Weight	10cm
Weight	CE EN397
Weight	3-7cm
Weight	Tetoron ITW
Weight	1.PP PE
Weight	2.

1.
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

1. LED AA/AAA LED

2.

ABS

3.

- 2
-
-
-
- CE EN166

1.

Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-MO2

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

PP 4 Up-N 2 9 10

Comfortable fit with various heads



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

UP-N

Area of application safety helmets



Work at height



Plumber



Aircraft Maintenance



Hiking

[illegible]

BTS

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

1 LED 1 LED

2 Faceshield

3



Accessories



EARMUFF

The durable shell of earmuff is made out of high impact resistant ABS material.
The extra soft ear cushions provide you maximum seal, comfort and complete hearing protection. It is suitable for people who work in the high noisy workplace.



Conform to the standard :
CE EN 352-3:2002.
 Certified by:
INSPEC **CE** 0194



FACE SHIELD

this face shield is fitted for safety helmets, and it is widely used in cutting , grinding, building and mechanical industry. the raw material with UV protection is imported from Bayer Company of Germany. 1mm and 1.5mm thickness is available for you.



Conform to the standard :
ANSI Z87.1-2003
CSA Z94.3-07
CE EN 166:2002-04
Certified by:



FACE SHIELD

Iron mesh face shield provides great protection for head, face and hearing. Easy to install or install.



Conform to the standard :
CE EN 1731:2006F
 ANSI Z87.1-2003
 Certified by:
 **INSPEC**  0194

□ □ □ □ □ □

Earmuff ☐ ABS ☐

□□□□□□□□

UV
1 mm 1.5mm

□ □ □ □ □ □ □ □ □

[illegible]



New visor arrives !

Hello, my dear friends, our visor is coming finally after our half years development ! come and have it. i believe you will be surprised when you get it, go go go !

ANTI - FOG
ANTI - SCRATCH

CE
EN 166

CE
EN 174



Two colors:
smoke, clear



MODEL : 3A



Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	168 lm for 30 h	4270 cd	110 m for 30 h	30 h
	Mid	78 lm for 55 h	1970 cd	65 m for 55 h	55 h
	Low	11 lm for 120 h	310 cd	9 m for 120 h	120 h
	S.O.S	17 lm	n/a	n/a	n/a
red	High	n/a	n/a	8 m for 80 h	80 h
	Stroke	n/a	n/a	n/a	n/a

***All above data tested for 100% real & accuracy

***All above data tested for 100% real & accuracy



MODEL : 1A



Lighting performance

Light source	Lighting modes	Brightness	Intensity	Distance	Burn time
white	High	100 lm for 8 h	850 cd	95 m for 8 h	8 h
	Mid	40 lm for 13 h	280 cd	45 m for 13 h	13 h
	Low	8 lm for 38 h	55 cd	8 m for 38 h	38 h
	S.O.S	10 lm for 60 h	n/a	n/a	60 h
red	High	4 lm	n/a	5 m for 18 h	18 h
	Strobe	n/a	n/a	n/a	40 h

***All above data tested for 100% mal & accuracy

***All above data tested for 100% real & accuracy

CAVING



Battery Replacement

MODEL : SA

Step 1

Undo the plastic button on the light head



Step 3
Note the $^{+N}$ and $^{-N}$ of battery



Step 5
Put the battery as
the picture shown



Step 2

Open the battery case as picture shown



Step 4
3 AAA dry battery or
rechargeable battery



Step 6

Fasten battery case



Battery Replacement

MODEL : 1A

Step 1

Undone the plastic button on the light head



Step 3
Note the $^{+n}$ and $^{-n}$ of battery



Step 5
Put the battery as
the picture shown



Step 2

Open the battery case
as picture shown



Step 4
1 AA dry battery or
rechargeable battery



Step 6

Fasten battery case



Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

111

☐☐☐☐ ISO9001 ☐☐☐☐ CE

1



1. 原料选择 → PC 原料选择 → PC 原料选择 → 原料选择 → EPS 原料选择 → EPS 原料选择 → 原料选择
 2. 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择
 3. 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择 → 原料选择



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

International Express