□□□

EN166 EN174

CE Certificated

Color：Clear

Weight：65g

□□□□□□□□□□□□□□□□□□□□□□□□□:

□□□ □□□□□	au-m02 □□□□□□□□
□□ □□	abs/pp □□□
□ □□	□□□ eps □□□□ + □□□□□□□□□□□
□□□	pe □□□□□□
□□□ □□ □□□□	□□ □□□□ 6.6 □□□ □□□□
□□	30-35db nrr □□ □□□□□□
□ □□□	pc □□□□□ □□□□/ pc □□□□□ □□□□/ □ □□□□
□	□, □□, □□□□□□□□□□□□□□□□□
□□□/□□□ □□	51-62cm
□□	407 g (□ □□ □□□□ □ □□□□ □□)
□	10 □□□□ □□ □ □□□□□□/ □□□□ □□□□
□□	□□
□□	ce □□ 12492 / □□397
□□□□ □□	3-7 □□ □
moq	200 pc
□□ □□	1. pp □□□, pe □□□, □□ □□□, □ □□□□ □□□ □□□□-□□□□ □ □□.
	2 □□□□ □□ □

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□:

1) led □□□□□□□□□□□□□: □□□□□□□ led □□□.

2) □□□□□□□□□□□□□ □□□□□ faceshield: □□ □□□□,faceshield □□□□□□□□□.

3) □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□ □□□□□□□□□□: □□□□ □□□ >□□□□□□□□□□>□□,□□>□□□□.

□□□□□□□□□□□□□□□□□□□□□□□:

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

COMFORTABLE RAPID ABSORPTION ANTIBACTERIAL POLYESTER INNER PADS

Polyester provides greater freshness,odor elimination, integrity and preservation of material,and reduction of washing frequency.

LED HEADLIGHT
PLASTIC CLIPS FOR LED HEADLAMP
ABS material, very easy to hold the lamp.

□□□□□□□□□□□□□□□□□□□□□□:

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□:

□□□□□□ Headform:

□□□□□□□□□□□□□

□□:

□□□□□□□□□□□□□: □□□□iso 9001□□□□□□ce □□□□□□□□□□□□□□

CERTIFICATE

□□□□□□□□□□□□□:

□□□□□□□□□□□□

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□□□□□□□□□□□□ □□i/ow:

□□□□□□□□□ → pc □□□□□□□□□□□ → pc □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□ eps □□ → eps □□□□□□□□□□□□ → □□□□□□□□ □□□□□□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□ → iqc □□ → □□□□□□□□ → □□□□□□□□□□ □ → □□□□□□□□□□□□□□□□□ → □□□□□ →□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□□

Production Procedure



□□□□□□□□□: