□□□□□□□□□□□□□□□□□□□□□□□□AU-K009

□□□ □□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□□□□□□□□□
- □□□PC□□□□□□□□□□□□□□□□□
- □□□□□□EPS□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- PA□□□□□□□□□□□□□□□
- □□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□

ABS□□□□□□□□□□□□□□□□

□□□□□□	AU-K009
□□	EPS□□□□□& A PC□□□
□□	CE CPSC
□□□	12□□□□
□	□□□□□□□□□□□□□
□□□/□□	S / M□52□58CM
□□	340g
□□□□□□□	7□
MOQ	300□
□□□□□□□□	PP□+□□□□□□□□□□□□+□□□□□□□□□

□□□□□□ □□□□□□□□□□ □□□□□□□

[illegible] OEM[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

[illegible]

[illegible]

□□□

□□□□□□□□□□□□□□□□ISO9001□□□□□□CE□□□

CERTIFICATE

□□□□□□□□□□□□□□□

Aurora Sports□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Aurora Sports□□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ → PC□□□□□□□□□□□ → PC□□□□□□□□ → □□□□□□ → □□□□□□□□□EPS□□ → EPS□□□□□□□□□□□□ → □□□□□□□□□□□□□□□□□□□□ → □□□□□□□□ → □□□□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□□□□□□□ → IQC□□ → □□□□□□□□ → □□□□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□ →□□□□□□ → □□□□□ → □□ → □□□□□□□□□□□

Production Procedure
AURORA
1 Silk screen
2 PC blister tooling
3 PC blister manufacture
4 Trmming dug hole
5 Eps raw material by different density
6 EPS in-mold tooling
7 Helmet in-mold workshop
8 In-mold machines
9 In-mold tooling
10 In-mold producing process
11 semi-finished In-mold helmet
12 IQC inspection
13 Helmet grinding
14 Inner padding production
15 Plastic injection workshop
16 Assembly line
17 Inside labeling
18 Packing
19 Warehourse
20 Installed counters

SHIPPING