







Packaging

9/...
...67 * 31.5 * 52.5CM
...4.50...
...WTH 1PCS / PP...BROWN...9 PCS

...
...
...
...
...
...

condierably



EN1078 EN397 EN12492 EN1384 VG1 CPSC &

Our In-house Testing Lab



ISO9001 CE

CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX → PCXXXXXXXXXXXXXXXXXX → PCXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXEPSXX → XXXXXXXEPSXXXXXXXX → XXXXX
 XXXXXXXXXXXXXXXXXXXX → XXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → IQCXX → XXXXXXXXXXX → XX
 XXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → XXXXXXXXXXX → XXXXXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXX

----XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

OEM&038; ODMXXXXXXXXXXXXXXXXXXOEM038; ODMXXXXXXXXXXXXXXXXXXXX

R&038; DXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24 3D

Turn your idea into a custom concrete product!



□□□□

International & 038; & &

SHIPPING



15 R&D

OEM& ODM OEM ODM

R&D; D