

PC + EPS

PC + EPS

PC + EPS	PC + EPS
AU-C06	AU-C06
EPS038; PC	EPS038; PC
CE EN 1078	CE EN 1078
S / M 5458M / L58-62cm	S / M 5458M / L58-62cm
13	13
275	275
PANTONE	PANTONE
3-7	3-7
MOQ	500 PCS
1.PPPE	1.PPPE
2.	2.
1.	1.
2.	2.
3.	3.
4.	4.
5.	5.
6.	6.

PC + EPS

1. EPS + PVC
2.
3.
4.
5.
6.





















問 題

- | | |
|---|-----------------------|
| 1 | このヘルメットの主な用途は何ですか？ |
| 2 | このヘルメットのサイズはどのくらいですか？ |
| 3 | このヘルメットの重量はどのくらいですか？ |
| 4 | このヘルメットの価格はいくらですか？ |

問 題

- | | |
|---|-----------------------|
| 1 | このヘルメットの主な用途は何ですか？ |
| 2 | このヘルメットのサイズはどのくらいですか？ |
| 3 | このヘルメットの重量はどのくらいですか？ |

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



ISO / DIS 6220 22... LIMAR 95

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.



Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

如何選擇頭盔

1. 頭盔尺寸80cm頭圍的頭盔適合頭圍在78cm-82cm之間的人佩戴。頭盔尺寸68cm頭圍的頭盔適合頭圍在66cm-70cm之間的人佩戴。

2. 頭盔尺寸68cm頭圍的頭盔適合頭圍在66cm-70cm之間的人佩戴。頭盔尺寸80cm頭圍的頭盔適合頭圍在78cm-82cm之間的人佩戴。

3. 頭盔尺寸80cm頭圍的頭盔適合頭圍在78cm-82cm之間的人佩戴。頭盔尺寸68cm頭圍的頭盔適合頭圍在66cm-70cm之間的人佩戴。

The impact force detected

The diagram illustrates the setup for field of vision testing. It shows a profile of a human head. A vertical dashed line represents the 'Reference plane'. A horizontal dashed line represents the 'Basic plane'. The distance from the subject's eye to the reference plane is labeled L_1 . The distance from the subject's eye to the basic plane is labeled L_2 . The distance from the subject's eye to the test point is labeled K_1 . The distance from the subject's eye to the test point is labeled K_2 . The angle between the line of sight and the horizontal is labeled 25° min. . The angle between the line of sight and the vertical is labeled 45° min. . The test point is labeled F .

Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Check Absorbing Capacity



dynamic strength test

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



2012-22

[illegible]

OEM ODM R& D 99

<http://www.helmetsupplier.com>

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

服務項目

1. OEM 服務項目

本公司提供 OEM 服務，包括設計、開發、生產、銷售、服務等。我們擁有專業的 R&D 團隊，可以根據客戶的需求，提供定制化的產品。我們的生產線設備先進，生產效率高，可以滿足客戶的大批量生產需求。我們的銷售渠道廣泛，可以為客戶提供完善的售後服務。

2. ODM 服務項目

本公司提供 ODM 服務，包括設計、開發、生產、銷售、服務等。我們擁有專業的 R&D 團隊，可以根據客戶的需求，提供定制化的產品。我們的生產線設備先進，生產效率高，可以滿足客戶的大批量生產需求。我們的銷售渠道廣泛，可以為客戶提供完善的售後服務。

3. 其他服務項目

本公司還提供其他服務項目，包括設計、開發、生產、銷售、服務等。我們擁有專業的 R&D 團隊，可以根據客戶的需求，提供定制化的產品。我們的生產線設備先進，生產效率高，可以滿足客戶的大批量生產需求。我們的銷售渠道廣泛，可以為客戶提供完善的售後服務。

4. □□□□□□□□□□

[illegible]

5. □□□□□□□□□□□□□□□□□□

00003600000000000000

A

[illegible][illegible]

C

VIP

6.

[illegible]

7.

A. DHL UPS TNT EMS DHL

B.

8. □□□□□□□□□□

T / T□□□□□□□□□□□□□□□□

QUESTION