CE EN397 □□□□ AU M02 □□□□□□□□□□□□□□□□□□□

□□□ □□□□□	AU M02 □□□ □□□□□
□□ □□	ABS □ PP □□□
□□ □□	PU □□□□□□□□ □□□□□ 4 □□□□□□ □□□□□ □□□ □□□□
□□□	PE □□□□□□
□□□ □□□□□ □□□□	□□ □□□□ 6.6 □□□ □□□□
□□□	30-35 db NRR □□ □□□□□□
□ □□□	PC □□□□□□ □□□□/ PC □□□□□□ □□□□/ □ □□□□
□	□□ □□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□/□ □□	51-62 cm
□□	375 g (□ □ □ □□□ □□□ □□□□ □□ □□□□□□)
□□□	10 □□ □□ □ □□□/ □□□□ □□□□
□□	□□□□□□□□
□□	CE EN 12492 / 397
□□□□ □□	3-7 □□ □
MOQ	200 PC
□□ □□	1. PP □□□□ PE □□□□ □□□□□ □□□□ □ □□□□ □ □□□□ □□□□ □ □□□□□□□
	2□ □□□□ □□ □

□□□□□□□ □□□□□□□□□:

1) LED □□□□□□□□□□□□□: led □□□□□□□□□.

2) □□□□□□□□□□□□□□ □□□□ faceshield: □□□ □□□□,Faceshield □□□□□.

3) □□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□: □□□□ □□□□□□□□ □□,□□□ □□□□.

□□□□□□□□□□□□□□:

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.

SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection

Safety helmet with visor exclusively for construction workers/tree cutting

EN166
EN174

CE Certificated
Color：Clear
Weight：65g

New Products

http://www.helmetsupplier.com

□□□□□□□□□□□□□□□□□□□□□□□:

□□,□ □□□,BTS □□,□□□□,□□□□□,□□□□ □□□ □□□□□□,□□□□□,□□□ □□,□□□□ □□,□ □□,□□□□,□□□□□...

□□□□□□□□□□□□□□□□:

□□□□□□□□:

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□ headform:c

□□□□□□□□□□□□□□□ □ □□ □ □□

□□□□□□:

□□□□□□□□□□□□□condierably □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

Our In–house Testing Lab

□□:

□□□□□□□□: □□□□ ISO9001□□□□□□□□CE □□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

CERTIFICATE

[redacted]:

[redacted] 15 [redacted] R & D [redacted]
[redacted]

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□□□□□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□ → □□□□□□□□□□□□ → □□□□□ EPS □□ → EPS □□□ → □□□□□□□□□□ □□□□ → □□□□□ → □□ → □□□□□□□□□ → □□□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□□□□□ □□□□ → □□□□□ →□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□

Production Procedure
AURORA
Silk screen
PC blister tooling
PC blister manufacture
Trmming dug hole
Eps raw material by different density
EPS in-mold tooling
Helmet in-mold workshop
In-mold machines
In-mold tooling
In-mold producing process
semi-finished In-mold helmet
IQC inspection
Helmet grinding
Inner padding production
Plastic injection workshop
Assembly line
Inside labeling
Packing
Warehourse
Installed counters

[illegible]:

[illegible]

SHIPPING