CCS CUSTOM COLOR SYSTEM

[illegible]

[illegible] Chrome Stripe[illegible]1[illegible]/[illegible]

[illegible]ABS[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Fastex[illegible]

2[illegible]2[illegible]1[illegible]2[illegible]

ASTM[illegible]CE EN[illegible]

□□□□□□□□□□□□

□□□ □□□□	au-h001
□□	abs □□□+ □□□□ eps□
□□□□□	□□□□□ □□□□□□ pu □
□□	CE EN1384□VG1□ASTM
□□□/□□□ □□□	□□□□ 52,53,54,55,56,57,58,59,60,61□
□□	□□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□□□□ □□
□□	□□□□
□□□□ □□	3-7 □□ □
mo	520□□□
□□ □□	□□ □□□□□□ □ □ □□□ □ □ □
	□□□ □□□□□□ 9. PCS /□□□□ □□□□ □□□□ * 32 * 53.5 67.5 cm

□□□□ □□□□□□□□□□□□□□□Au-H07□□

□□□□□□□□□□□□□□□□□□

□□□FT□□□□□3□□

UNRIVALLED ADJUSTMENT
FOR OPTIMUM COMFORT
Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.

FRIENDLY DESIGN
FOR WOMEN PONYTAIL
Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

Comfortable & Durable Inner Padding
Thickness: 6mm, 8mm, 12mm

ONE PIECE ANTIBACTERIAL INNER PADDING
Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.

ADVANCED MASS VENTILATION SYSTEM
Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.

UtilitySuni Protection

□□□ Engineering ABS□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□

□□□

□□□□□□□

□□□□□□□□□□□□9 PC /□□□□
□□□□□□□□□□□□□□□67 * * 31.5 52.5 cm
□□□□4.80 kg
□□□□□□□□□1□□/ PP□□□wth□□□□□□□□□□□□□□□□9 dc

□□□□□□□□□□□ r□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□

□□□□□□□□□□□

□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□

□□□□□□□□□□□

□□ □□□□EN1078□EN397□EN12492□EN1384□VG1 CPSC□EN1384□VG1 CPSC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□ISO9001□□□□□□□□□□CE□□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ → PC□□□□□□□□□ → PC□□□□□□□□□ → □□□□□□□□□□ → eps□□□□□□□□□□ → □□□□□EPS → □□□□□□□□□□□□□□□□□ → □□□□ → □□□□□□ → □□□□□□□ → □□□□□□□□□□□□□□ → IQC□□ → □□□□□□□□