

CCS CUSTOM COLOR SYSTEM



CCS CUSTOM COLOR SYSTEM



STRIPE
RAIL



ABS Chrome Stripe

ABS Chrome Stripe 1

ABS

Fastex

2 2 1 2

ASTM CE EN

□□□□□□□□□□

□□□ □□□□	au-h001
□□	abs □□□+ □□□□ eps□
□□□□□	□□□□□ □□□□□□ pu □
□□	CE EN1384□VG1□ASTM
□□□/□□□ □□□	□□□□ 52,53,54,55,56,57,58,59,60,61□
□□	□□□□□□□□□□□□□□ □ □□□□□□□□□□□□□□ □□
□□	□□□□
□□□□ □□	3-7 □□ □
mo	520□□□
□□ □□	□□ □□□□□□ □ □ □□□ □ □ □
□□ □□	□□□ □□□□□□□ 9. PCS /□□□□ □□□□ □□□□ * 32 * 53.5 67.5 cm

□□□□ □□□□□□□□□□□□□□□□**Au-H07**□□






XXXXXXXXXXXXXXXXXXXX

XXFTXXXXX3XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXX



Comfortable & Durable Inner Padding
Thickness: 6mm, 8mm, 12mm




UtilitySuni Protection

Engineering ABS



UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.



INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

PC / 9 PC / 67 ** 31.5 52.5 cm
4.80 kg
1 / PP wth 9 dc

r
r
r
r
r
r



EN1078 EN397 EN12492 EN1384 VG1 CPSC EN1384 VG1 CPSC

CERTIFICATE / AUTHENTICATION



□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□ → PC□□□□□□□□ → PC□□□□□□□□ → □□□□□□□□ → eps□□□□□□□□ → □□□□□□□□EPS → □□□□□□□□□□□□□□ →
 □□□□ → □□□□□□ → □□□□□□□□ → □□□□□□□□□□□□□□ → IQC□□ → □□□□□□□□