

HELMETS

Safety helmet | 375g | EN 397 | ANSI

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color. however, there is nine fashion color available for you.



Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

□ □ □ □ □ □ □ □ □ □ □ □ □ □ :

1) LED : led .

- 2) 安全面罩 faceshield: 安全面罩, Faceshield 安全面罩.
- 3) 安全面罩 faceshield 安全面罩 安全面罩: 安全面罩 安全面罩, 安全面罩 安全面罩.



SAFETY HELMET



安全面罩 faceshield:

Helmet accessories available

Safety helmet with LED light.

AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black

Led light headlamp led light

Safety helmet with ear protection and mesh faceshield

AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black

earmuff good sound insulation
faceshield iron mesh

Safety helmet with plastic visor

The set is compatible with our special visor and earmuff.

AU-M02 white
 Red
 Yellow
 Orange
 Blue
 Green
 black


Visor plastic with eye protection
earmuff good sound insulation

NEW



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection



Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certificated
Color: Clear
Weight: 65g

New Products



Application of safety helmets:

Power generation, BTS station, Iron tower, Coal mining, Work at height, Petrochemical refining, Offshore oil and gas, Plumber, Cable car maintenance, Mobile plant maintenance, Aircraft Maintenance, Pulp&paper, Civil infrastructure, Sea rescue, Roof Cleaning, Hiking...

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

Application of safety helmets:

Application:

Application of safety helmets in various industries and environments.

headform:c

Application of safety helmets in various industries and environments.

Application:

Application of safety helmets in various industries and environments.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

~~~~~!~~~~~ & ~~~~  
~~~~~ ~~~~ ~~~~~!



□□□□□□□□: □□□□ ISO9001□□□□□□□□CE □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□

1

[illegible]

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

1. 原料 → PC 原料 → PC 原料 → 原料 → EPS 原料 → EPS 原料 → 原料
 2. 原料 → 原料 → 原料 → 原料 → IQC 原料 → 原料 → 原料 → 原料
 3. 原料 → 原料 → 原料 → 原料 → 原料 → 原料



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

[illegible]

SHIPPING

