

petzl CE

Fashionable Climbing Helmet

the color of top PC shell and Bottom PC shell will up to you ($\cong \forall \cong$) ♫



CE Certificate
Size:M/L(53-63)cm
Weight:290g



ULTRA LIGHT



Website: <http://www.aurorasport.com>



-CE EN 12492 符合歐洲標準

符合歐洲 EPS 標準 PC 符合標準

-符合標準 PC 符合標準

-T 符合 PC 符合標準 PC 符合標準

-P 符合標準 符合標準: 符合標準 1 符合標準

產品名稱	AU M01 符合標準
產品規格	符合標準 PC 符合標準 + 符合標準 PC 符合標準
產品規格	符合標準 EPS 符合標準 + 符合標準 符合標準
產品規格	PE 符合標準
產品規格	符合標準 符合標準
產品規格	符合標準
產品規格	53-62 cm
產品規格	275 g
產品規格	14 符合標準
產品規格	符合標準
產品規格	CE EN 12492
產品規格	3-7 符合標準
MOQ	200 PC
產品規格	1. PP 符合標準 PE 符合標準 符合標準 符合標準 符合標準 符合標準 符合標準
	2. 符合標準 符合標準

符合標準:

Professional rock climbing helmet



AU-M02



DOUBLE IN-MOLD CONSTRUCTION

It places impact-resistant EPS foam on the inside of the helmet which is then surrounded by a durable polycarbonate outer shell for strength and puncture resistance.





HEAD LOCK ADJUSTMENT

Quick release heading system, made by Nylon material.



SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability





ABS material, very easy to hold the lamp.

[illegible]

Tree care



□□□□□□□□: □□□□ ISO9001□□□□□□□□CE □□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□

1



በጥቅም ላይ የዋለው የጥናት ዓመት 15 ዓመታት በጥናቱ ውስጥ R & D ስራዎችን በጥንቃቄ የሚያካትት የጥናት ዓመት ነው።



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

[illegible]

11

