

Product Display



								:
								:

□□□ □□□	AU C06
□□	□□□□ EPS □□□□ & PC □□□
□□	CE EN1078 □□□□□□□□□□
□□□	13 □□
□	□□□□, □□□□□□
□□□/□□	S: 45-50 cm □□□;M: 50-55 cm;L: 54-58
□□	225 g
□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

[illegible]

- [illegible]

5. תו היצרן PA (פוליאמיד) מודפס על המסגרת
6. תו היצרן מודפס על המסגרת
7. תו: CE EN1078 מודפס על המסגרת.

התאמת המסגרת:













Packaging

Quantity: 12 units/case

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Material: 1 PC/PP with 12 units



Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

ヘルメットの形状

ヘルメットの形状 (ヘルメットの形状は、ヘルメットの形状によって異なります。)



品質保証: ISO9001認証取得 CE 認証取得

1

[illegible]

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□□□□:

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

0000 000000 → PC 000000 000000 → PC 00000000 → 0000000000000000 → 000000 EPS 00 → EPS 0000 → 000000000000 0000
 0 → 000000 → 00 → 000000000000 → 00000000000000 000000 → IQC 00 → 0000000000 → 000000000000 → 0000000000000000
 00000 → 000000 → 00000000 → 00 → 00 → 00000000000000000000

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□:

□□□□□□□□ □□□□□□□□□□: DHL□TNT□UPS□□□□□□□□EMS □□□□□□□□.□□□□□□□□□□□□

11

