□□□□□□□□□

- □□□□ □□□□□□□□□□□
- □□□□□□ HaoJiGuang
- □□□□□□ AU-S01
- □□□ EPS + PC
- □□□□□ □□□□□□□□□□□□
- □□□□ 10
- □□□ EN1078
- □□□□ □□
- □□□ □□□□
- □□ □□□□
- □□□ □□□□□□□□
- OEM□REQ□MOQ□ 300PCS
- □□□□ M 54-58CM□L 58-60CM
- □□□□□□□□□□ □□□□□□□□□□□□
- □□□ 270□□□

□□&□038;□□

□□□□□□□□□ PP□+□□□□□□□+□□□□

□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□45□

□□□□□□□□□

□□□□□□□□□□□□□□□OEM□□□□□□□□□□ □□□□□□□□□□□□ □□□□□□ □□□□□□□□□□□□□□□□□□□□

□□□	□□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□□□□□□ CPSC / CE / TüV-GS /□□□/ ASTM / REACH - □□□□□□□
□□□□□□□	□□□□□□□□□
□□□	□□□□□□□□□□ □□□□□□
□□□□□	□□□□□□□□□
□□□□	10
□□	PANTONE
□□	M 54-58CM□L 58-60CM
□□□□□	270□□□
OEM□REQ□MOQ	300PCS
□□□□□□□	3-5□
□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□35□□□□
□□□□□	1. PP□□PE□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□□

□□□□□□□□□□□□□□□□□□□□□2012□□22□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□□□□□

1.□□□□□OEM□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□360□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□