[illegible]

[illegible]:
-[illegible] & [illegible];
-[illegible] ABS [illegible]
-[illegible] EPS [illegible];
-[illegible];
●[illegible]-[illegible]: [illegible];[illegible];
[illegible]: [illegible]

[illegible]:

[illegible] [illegible]	h07
[illegible]	abs [illegible] + [illegible] eps, [illegible] [illegible] [illegible]
[illegible]	[illegible] VG1 [illegible] EN 1384:2017;astm;[illegible]015
[illegible]	17
[illegible]/[illegible] [illegible]	XXS-S (51-55 [illegible]);S-M (55-57CM);M-L (57-59CM);L-XL (59-61CM)
[illegible]	[illegible] [illegible] [illegible]
[illegible]	[illegible]
[illegible] [illegible]	3-7 [illegible] [illegible]
moq	500 pc
[illegible] [illegible]	[illegible] [illegible]: [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
	[illegible] [illegible]: 9 pc/[illegible] [illegible] [illegible]: * 32 * 53.5 67.5 [illegible]

[illegible] [illegible]:

Product Display

INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

[illegible]
[illegible]

UNRIVALLED ADJUSTMENT
FOR OPTIMUM COMFORT
Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.

[illegible]
[illegible]

FRIENDLY DESIGN
FOR WOMEN PONYTAIL
Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

1) [illegible]
2) [illegible]
3) [illegible] & [illegible] & [illegible]

[illegible]



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.

Packagaing □□

□□□□□□□□□□□□: 9 pc/□□□□□
□□□□□□□□: □□□□□□□□□□:67 * * 31.5 52.5 CM
□□□□: 4.80 □□
□□□□□□□□□□□□: 1pc/PP □ wth □□□□□□□□□□□□□□ 9 DC

□□□□□□ □□□□□□□□□□□□□□□□□:

□□□□□□□ headform:

□□ □□□□□□□□□□

headform □□□:

□□

□□□□ headform:

□□□ condierably □□□□□□□

□□□□□

□□□□□□□□□□:

□□□ □□!EN1078□EN397□EN12492□EN1384□VG1 CPSC□□□□□□□□□□□□□□□□□□□□□□□□□ □□□!

□□:

□□□□□□□□□□□□□□□: ISO9001□□□□□□□□□□□□□□CE □□□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□□□□□:

□□□□□□□□□ → PC □□□□□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□ → EPS □□□□□□□□□□□□□□ → □□□□□ EPS → □□□□□□□□□□ □□□□□□ → □□□ → □□□□ → □□□□□□□□ → □□□□□□□□□□□□□□□□□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□ □□□□□□□□ → □□□□□ →□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□?

-□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□

oem □□□ odm: □□□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□

□□□□□□□: □□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

[illegible]24[illegible]3d [illegible]


Turn your idea into a custom concrete product!
R&D Capability
DRIVEN INNOVATION
202

[illegible]:

[illegible] & [illegible]![illegible]![illegible]![illegible]!

SHIPPING