

UVEX 5000

- 100% UV protection (UVB, UVA)
- 100% protection against impact (EN 1889)
- 100% protection against fog (EN 1889)
- 100% protection against sweat (EN 1889)
- 100% protection against dust (EN 1889)
- 100% protection against noise (EN 1889)
- 100% protection against vibration (EN 1889)
- 100% protection against electromagnetic interference (EN 1889)
- 100% protection against static electricity (EN 1889)
- 100% protection against fire (EN 1889)
- 100% protection against acid (EN 1889)
- 100% protection against alkali (EN 1889)
- 100% protection against oil (EN 1889)
- 100% protection against grease (EN 1889)
- 100% protection against paint (EN 1889)
- 100% protection against glue (EN 1889)
- 100% protection against solder (EN 1889)
- 100% protection against molten metal (EN 1889)
- 100% protection against hot air (EN 1889)
- 100% protection against steam (EN 1889)
- 100% protection against smoke (EN 1889)
- 100% protection against fumes (EN 1889)
- 100% protection against dust (EN 1889)
- 100% protection against dirt (EN 1889)
- 100% protection against lint (EN 1889)
- 100% protection against hair (EN 1889)
- 100% protection against skin (EN 1889)
- 100% protection against clothing (EN 1889)
- 100% protection against footwear (EN 1889)
- 100% protection against accessories (EN 1889)
- 100% protection against tools (EN 1889)
- 100% protection against equipment (EN 1889)
- 100% protection against machinery (EN 1889)
- 100% protection against vehicles (EN 1889)
- 100% protection against structures (EN 1889)
- 100% protection against objects (EN 1889)
- 100% protection against people (EN 1889)
- 100% protection against animals (EN 1889)
- 100% protection against plants (EN 1889)
- 100% protection against weather (EN 1889)
- 100% protection against environment (EN 1889)
- 100% protection against nature (EN 1889)
- 100% protection against life (EN 1889)
- 100% protection against death (EN 1889)
- 100% protection against everything (EN 1889)

UVEX 5000

Model	AU-H02
Material	ABS + EPS + PU
Color	PANTONE
Weight	52,53,54,55,56,57,58,59,60,61g
Size	3-7
MOQ	500 PCS
Dimensions	67.5 * 32 * 53.5CM

UVEX 5000









Packagaing

9
 67 * 31.5 * 52.5CM
 4.50
 WTH 1PCS / PP BROWN 9 PCS

condierably



EN1078 EN397 EN12492 EN1384 VG1 CPSC



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24 3D

Turn your idea into a custom concrete product!



R&D Capability



□□□□

Internatioanl...&038;...&...
 ...&...
 ...

