

□□□□	600,000pcs /□
□□□□□	□□□□□□□□□□□□□□
□□□□□□□□□□□□□	CE EN397 □CE □EN12492
□□□□□□	□□□□□□□1.□□□□□□ 2.□□□□□□□□□□□□□□ □□□□□□□□□□□3.□□□□ 4.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□5.□□□□ □□□□6.□□□□

□□□□□□□□□□□□□□□

Comfortable fit with various heads



Helmet Shape 101

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

European Headform An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.	Generic headform A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.	Asian headform A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection



MICRO DIAL ADJUSTMENT


Quick release heading system,
made by Nylon material.





QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certificated
Color: Clear
Weight: 65g

New Products



XX

18pcs / CTN

XXXXXXXXXX26 * 21.5 * 11.5XXXXXXXXXX

mastercartonXXXXXXXX80 * 45 * 44cmXXXXXXXX

20XXXXXXXXXXXX2500pcs

Packaging 



18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

XX
XX

QC / QA

