

[illegible][illegible]


- ABS 系統

●■■■■■■■■■■ EPS ■■■■

000-0000: 00000000000000000000000000000000;000000;00000000;

[illegible]

h07	h07
abs	abs 0000 + 0000 eps, 0000000 0000 00
pu	0000, 000000, pu 0
17	17
52, 53, 54, 55, 56, 57, 58, 59, 60, 61;	0000: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
000000000000 0000 0000000000 000000	0000000000000 0000 0000000000 000000
00	00
3-7	3-7 00 0
500 pc	500 pc
00 000000: 00000 0 0000 0000 00000 00000	00 000000: 00000 0 0000 0000 00000 00000
9 pc/00000 00000 0000: * 32 * 53.5 67.5 00000000	00 000000: 9 pc/00000 00000 0000: * 32 * 53.5 67.5 00000000

[illegible][illegible]

INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

hekmet




A close-up, rear view of a person wearing a black and silver racing helmet. The helmet has a textured black top and silver side panels with three rectangular vents each. A blonde ponytail is visible, tied with a light-colored band, extending from the back of the helmet. The person is wearing a white collared shirt and a dark jacket.



FRIENDLY DESIGN FOR WOMEN PONYTAIL

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

[illegible]



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.









Packaging

Quantity: 9 pc/box

Dimensions: 67 * 31.5 52.5 CM

Weight: 4.80 kg

Material: 1pc/PP with 9 DC

Material: r

headform:

headform

headform

headform

headform:

condierably



headform:

headform

!EN1078EN397EN12492EN1384VG1 CPSC

headform!



11

ISO9001 CE



00000000 → PC 00000000 → PC 00000000 → 000000000000 → EPS 000000000000 → 00000 EPS → 00000000
 000000 → 000 → 0000 → 00000000 → 00000000000000000000 → IQC 00 → 00000000 → 0000000000 → 00000000
 00000000 → 00000 → 00000000 → 00 → 00 → 00000000000000000000



□□□□ : □□□□□□□□□□□□□□□□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24h 3d

SHIPPING

