

au-e06 vg1



au -e06:

- 
- abs
- eps
- 
- vg1

:

	au-e06
--	--------

Қақп	abs қақп + қақп eps, Ұ қақпқа қақпқа қақп қақп қақпқа
Қақпқа	қақпқа, қақпқа, pu қақп
Қақп	ce (vg1 01.040 2014-12)
Қақп/қақп қақп	xxs-s (51-55 қақпқа);s-m (55-57cm);m-l (57-59cm);l-xl (59-61cm)
Қақпқа	қақпқа қақп қақпқа қақпқа
Қақп	қақп
Қақпқа қақп	3-7 қақп қақп
moq	500 pc
Қақп қақп	Қақп қақпқа: қақпқа қақп қақп қақпқа қақпқа Қақп қақпқа: 9 pc/қақпқа қақпқа қақпқа: * 32 * 53.5 67.5 қақпқа

Қақпқа қақпқа:











**Packaging**

Quantity: 9 pc/box  
Dimensions: 68 \* 32 \* 54 cm  
Weight: 4.80 kg  
Packaging: 1pc/box wth 9 pc

**Material:**

**headform:**

Standard headform used for testing.

**headform:**

Standard headform used for testing.

**headform:**

Standard headform used for testing, considerably different.



**Material:**

Material specifications: EN1078, EN397, EN12492, EN1384, vg1 cpsc. Additional details and standards listed.



# CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX:

XXXXXXXXXX → pc XXXXXXXXXXXX → pc XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → eps XXXXXXXXXXXXXXXX → XXXXX eps → XXXXXXXXXXXXXXXX  
 XXXXXX → XXX → XXXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXXXXXX → iqc XXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXX  
 XXXXXX → XXXXXX → XXXXXXXXXXXX → XXX → XXX → XXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXXXX?

XXXXXXXXXXXXXXXX:

XX: XXXXXXXXXXXXXXXX

oem XXX odm: XXXXXXXXXXXX oem XXX odm XXXXXXXXXXXXXXXX

XXXXXXXXXX: XXXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXX

XXXX: XXXXXXXXXXXXXXXXXXXXXXXX





### QUALITY

With strict quality management system and first-class products



### OEM&ODM

We can provide OEM and ODM service for customers



### R&D TEAM

With professional and strong technical development team



### PRICE

We have our own production line, to reduce the price to a minimum



### PATENT

We constantly introduce patented technology products



### SERVICE

Perfect after-sales service, so customer satisfaction

24h service, 3d delivery

