







Packaging

9/PP/BROWN
67 * 31.5 * 52.5CM
4.50
WTH 1PCS / PP/BROWN 9 PCS

PP/BROWN
PP/BROWN
PP/BROWN
PP/BROWN
PP/BROWN
PP/BROWN

condierably



EN1078 EN397 EN12492 EN1384 VG1 CPSC &

Our In-house Testing Lab



ISO9001 CE

CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX → PCXXXXXXXXXXXXXXXXXX → PCXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXEPSXX → XXXXXXXEPSXXXXXXXX → XXXXXXX
 XXXXXXXXXXXXXXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → IQCXX → XXXXXXXXXXX → XX
 XXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → XXXXXXXXXXX → XXXXXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXX

----XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

OEM&038; ODMXXXXXXXXXXXXXXXXXXXXOEM038; ODMXXXXXXXXXXXXXXXXXXXX

R&038; DXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24 3D

