

## คุณสมบัติ

- ขนาด: 57-61 cm
- ความหนา: 275 g
- ประเภท: PC + EPS
- สี: 14
- คุณสมบัติ: สามารถทนความร้อนได้ดี
- ความหนาแน่น: 0.025 g/cm<sup>3</sup>
- คุณสมบัติพิเศษ: สามารถทนแรงกระแทกได้ดี
- ใช้งาน: 2 ปี - ขึ้นอยู่กับการใช้งาน

## วัสดุ

วัสดุหลัก: PP วัสดุเสริม: EPS

## PC วัสดุเสริม

### ข้อมูล

ชื่อ	วัสดุ	คุณสมบัติ
ชื่อ	วัสดุเสริม	
ชื่อ	EPS วัสดุเสริม + PC วัสดุ	EPS วัสดุเสริม EPS + PC inmould วัสดุเสริม วัสดุเสริม วัสดุเสริม วัสดุเสริม วัสดุเสริม; วัสดุเสริม
ขนาด	57-61 cm	วัสดุเสริม
ชื่อ	วัสดุ	UV DRT วัสดุ
MOQ	2000 วัสดุ	
ขนาดกล่อง	65 cm * 57 * 46 cm	72 cm * 57 c * 59 cm
ความหนา	1 วัสดุ	วัสดุ
วัสดุเสริม	วัสดุ 45 วัสดุ	วัสดุเสริม วัสดุเสริม

QUESTION

1. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain. How does OEM differ from a manufacturer or a distributor? Provide a brief overview of the OEM model.

1. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

2. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

3. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

4. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

5. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

6. Explain the role of OEM (Original Equipment Manufacturer) in the supply chain.

ANSWER:









**Heaform**


□□□□□□□□:

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□□□□□□□

□□□□□□□□□□□□□□ □ □ □ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□





□□□□□□□□□□□□□□□□

□□□ □□□□ → PC □□□□ □□□□ → PC □□□□□□□ → □□□□□□□□□□□ → □□□□□ EPS □□ → EPS □□□ → □□□□□□□□□□ □□□  
 □ → □□□□□ → □□ → □□□□□□□□□ → □□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□  
 □ □□□□ → □□□□□ → □□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□



# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

Our products are certified by EN1078 EN397 EN12492 CPSC & other international standards! We are committed to providing high-quality products and excellent customer service!





**PAYMENT**

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



**SHIPPING**

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



□□□□□□□□

--□□ □□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□

OEM & ODM: □□□□□ OEM □□□ ODM □□□□□□□□□□□□□□

R & D □□□: □□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□□□□□□□

□□: □□ □□□□□□□□□□□□□□

□□□□: □□□□□□□ □□□□, □□□□□□□□

□□□□ □□□□□□□□□□□□□□□□ 15 □□□□□□□□□□ □□□□□□□□□□□□ R & D □□□□□□□□□□□□□□ □□□□□□□□

