VG1 [illegible]

Product

NEW

AU-H06

High cost-effective
horse riding helmet

VG1 Certificate

Size: S; M; L

Weight: 450g

[illegible] [illegible]:

-[illegible]: [illegible]
-[illegible]: [illegible] ABS [illegible];
[illegible] EPS [illegible]
●[illegible]-[illegible]: [illegible];[illegible];[illegible];
-[illegible]: CE EN1384[illegible]VG1 [illegible]

[illegible] [illegible]:

[illegible] [illegible]	AU-E06
[illegible]	abs [illegible] EPS ([illegible]) [illegible]
[illegible]	[illegible], [illegible], pu [illegible]
[illegible]	VG1 [illegible] CE
[illegible]	XXS-S (51-55 [illegible]);S-M (55-57cm);M-L (57-59cm);L-XL (59-61cm)
[illegible]	[illegible] [illegible] [illegible] [illegible]
[illegible]	[illegible]
[illegible] [illegible]	3-7 [illegible] [illegible]
moq	500 pc
[illegible] [illegible]	[illegible] [illegible]: [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
	[illegible] [illegible]: 9 pc/[illegible] [illegible] [illegible]: 70.5 * 31.5 * 55.5 [illegible]

[illegible] [illegible]:

[illegible]

HIGH EFFECTIVE AIR FLOW

Packagaing □□:

□□□□□□□□□□: 9 pc/□□□□
□□□□□□□: □□□□□□□□□: 70.5 * 31.5 * 55.5 cm
□□□: 480 ±50g
□□□□□□□□□□: 1pc/PP □ wth □□□□□□□□□□□□ 9 DC

□□□□□:

□□□□□□ headform:

□□ □□□□□□□□□□

headform □□□:

□□□

□□□□ headform:

□□□ condierably □□□□□□□□□□□□

□□□□□□□□□:

□□
□!EN1078□EN397□EN12492□EN1384□VG1 CPSC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□!

□□:

□□□□□□□□□: ISO9001□□□□□□□□CE □□

CERTIFICATE / AUTHENTICATION

□□□□□□□□□□□□□□□□□□□□□□□□□□:

□□□□□□□□□ → PC □□□□□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□ → EPS □□□□□□□□□□□□□□ → □□□□□ EPS → □□□□□□□□□□ □□□□□□ → □□□ → □□□□ → □□□□□□□□ → □□□□□□□□□□□□□□□□□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□ □□□□□□□□ → □□□□□ →□□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□?

-□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□

oem □□□ odm: □□□□□□□□□□ oem □□□ odm □□□□□□□□□□□□□

□□□□□□□: □□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□: □□□□□□□□□□□□□□□□□□□□□□□

□□□□: □□□□□□□□□□□□□□□□□□□□

WHY US
AURORA
QUALITY
With strict quality management system and first-class products
OEM&ODM
OEM
ODM
We can provide OEM and ODM service for customers
R&D TEAM
R&D
With professional and strong technical development team
PRICE
$
We have our own production line, to reduce the price to a minimum
PATENT
We constantly introduce patented technology products
SERVICE
Perfect after-sales service, so customer satisfaction

[illegible]24[illegible]3d [illegible]


Turn your idea into a custom concrete product!
R&D Capability
DRIVEN INNOVATION
202

□□:

□□□□□□□□□□□□□ & □□□□□□□□□□□□□□□□□□□□□!□□□!□□□□□□□□□ □□□!□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□!

SHIPPING