







Packaging

9/

67 * 31.5 * 52.5CM

4.50

WTH 1PCS / PP BROWN 9 PCS

condierably



CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX → PCXXXXXXXXXXXXXXXX → PCXXXXXXXXXX → XXXXXXXXXXXX → XXXXXXXXXXXXEPSXX → XXXXXXXXEPSXXXX → XXXXX
 XXXXXXXXXXXXXXXXXXXX → XXXXXXXXXXX → XXXXXXXXXXXXX → XXXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → IQCXX → XXXXXXX → XX
 XXXXXXXXX → XXXXXXXXXXXXXXXXXXXX → XXXXXXXXX → XXXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXX

---XXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

OEM&038; ODMXXXXXXXXXXXXXXXXXOEMXXXODMXXXXXXXXXXXXXXXXXXXX

R&038; DXXXXXXXXXXXXXXXXXXXXXXXX

XX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24 3D

Turn your idea into a custom concrete product!



R&D Capability



□□□□

Internatioanl...&038;...&...
...&...
...&...
...&...

SHIPPING



15 R&D

OEM& ODM OEM ODM

R&D; D