[illegible]

[illegible] [illegible]

- [illegible]260[illegible]

- [illegible] [illegible]
  [illegible]

- [illegible] [illegible]

- [illegible]PC[illegible]&[illegible]038;[illegible]

- [illegible]EPS[illegible]

- [illegible]

- [illegible]CE-EN1078[illegible]

[illegible] [illegible]

[illegible]	AU-BG01
[illegible]	EPS[illegible]&[illegible]038; PC +[illegible]
[illegible]	CE EN1078
[illegible]	26[illegible]
[illegible]	[illegible]
[illegible]/[illegible]	M / L[illegible]58-62CM[illegible]
[illegible]	260[illegible]
[illegible]	3[illegible]
MOQ	200[illegible]
[illegible]	PP[illegible]+[illegible]+[illegible]

[illegible] [illegible]

□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□&□□□□□□□□□ 24□□□ □□ □□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□R&□□□□□□□□□□□□□□□□□□□□□□□□D support.We□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□ □□ □□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□

NYLON WEBBING
PLA2001
PLA2135
PLA2008
PLA2057
PLA2191
PLA2081
PLA2020
PLA2242
PLA2179
PLA2106
PLA2051
PLA2012
PLA2148
PLA2304
PLA2204
PLA2034
PLA2041
PLA2273
PLA3880
AURORA
LOGO STICKER
LINING
PLA6000
PLA6010-10
PLA6211-02
PLA6325-08
PLA6317
PLA6520
DIVIDER (1)
-111
-36
-116
-119
-00
-120
DIVIDER (2)
-01
-07
-107
-114
-36
-111
-116
-106
-117
-113
-105
-110
-00
-115
-109
-112
-104
STRAP BUCKLE
-114
-36
-107
-07
-106
-01
-113
-104
-117
-115
-116
-00
-112
-111
-109
BUCKLE
-105
-106
-01
-107
-07
-114
-110
-104
-116
-117
-106
-112
-115
-111
-00
-109
ITW
MAGNET
SIZE ADJUSTMENT
PLA5022
PLA5073
PLA5285
PLA5406
PLA5663
PLA5058
PLA5127-00
PLA5127
PLA5388-13
PLA5388-01
VISOR
PLA1213-00
PLA1213
PLA0481-18
PLA0481
PLA0083-09
PLA0267
PLA0267-07
PLA0872A
PLA0872-113
PLA0083

[illegible]

1.[illegible]

2.Autoclave[illegible]

Autoclave Processing (Vacuum bagged)
AURORA

□□□□□□

[illegible]

[illegible]

[illegible]

[illegible]

A [illegible]

[illegible]

[illegible] condierably [illegible]



Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

[illegible]

[illegible] [illegible]ISO9001[illegible]CE[illegible] [illegible] [illegible]

CERTIFICATE

□□□□□□□□□□□□□□

□□□□ □□□□□15□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□D□□□□□□□□□□R&□□□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□ → PC□□□□□□□□□□□□ → PC□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□EPS□□ → □□□□□□EPS□□□□□ → □□□□□ □□□□□□□□□□□□□ → □□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□□□□□ → IQC□□ → □□□□□□□ → □□□ □□□□□□□ → □□□□□□□□□□□□□□□□ → □□□□□□□ →□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□

Production Procedure
AURORA
Silk screen
PC blister tooling
PC blister manufacture
Trmming dug hole
Eps raw material by different density
EPS in-mold tooling
Helmet in-mold workshop
In-mold machines
In-mold tooling
In-mold producing process
semi-finished In-mold helmet
IQC inspection
Helmet grinding
Inner padding production
Plastic injection workshop
Assembly line
Inside labeling
Packing
Warehourse
Installed counters

□□□□□

□□ □□□□□□&□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ &□038;□□□□ □□□ □□□□□□□&□□□□□□□□□□□□□□□□□□□□□ □□□ □□ □□□ □□□

SHIPPING