□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Kaykak□□□□□

□□□□□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□EVA□□□□□□
- □□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□
- 11□□□□□□□□□□□
- □□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ S / M□M / L

□□□□□□	AU-K010□□□□□□□□□□□□□□□
□□	ABS + EVA□□□□□□□□□
□□	CE EN 1385
□	□□□□□□□□□□
□□□	S / M□M / L
□□	300□□□
□□□	□□□ - □□□□

□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

HERO3

EXFIL SAR

BMX□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□□□□□□□

□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ISO9001□□□□□□CE□□□□□□□□□□□□□□□□□□□

CERTIFICATE

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□ → PC□□□□□□□□□□□□ → PC□□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□□□EPS → □□□□□□EPS□□□□□ → □□□□□□□□□□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□ → □□□□□□□□□□□ → □□□□□□□□□□□□□□□ → IQC□□ → □□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□□□□□ → □□□□□□□ →□□□□□□ → □□□□□ → □□ → □□□□□□□□□

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□□□□

□□□□

SHIPPING