

ANSI TYPE II □□□□□□□□□□ PPE □□□□□□□□□□



FULL BRIM HARD HAT

Available for Class C & E

□□□ □□□□	AU-M13 □□□ □□□□□
□□□ □□	ABS □□□
□□□□ □□	4□□□□□□□□□□□□□□□□
□□□□□□	PE □□□□□□
□□□ □□□□□ □□□□	□□□ □□□□ 6□6 □□□ □□□□
□□□□□□	30-35db NRR □□ □□□□□□
□ □□□	□□□□ □□□□□□ □□□□/ □□□□ □□□□□□ □□□□/ □ □□□□□
□	□□ □□□ □□□□□□□□□□□□□□□□
□□□/□□□ □	55-62cm
□□	540 g □□ □□ □□□□□□□□□ □ □□ □□□□□□□□□
□□□	8 □□ □□ □ □□□□□□□/ □□□□ □□□□
□□□□□□	□□
□□	ANSI/□□/CSA □□□ □ □□□ C & E
□□□□ □□	3-7 □□ □
MOQ	500 □□□□S
□□□□□□ □□	1□PP □□□□ PE □□□□ □□□ □□□ □ □ □□□ □□□□□□□□ □ □□□□□□□□□
	2□ □□□□ □□□□□ □

- ;
- 1) LED□□□□□□□□□□□□ : □□□□□□ LED □□□□
 - 2) □□□□□□□□□□□□ □□□□□□□□□□□□□□ : □□□□□ □□□□□□□ □□□□□□□□ □□□□□□
 - 3) □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□ : □□□□ □□□□□□□□□□□ □□□ □□□□□□ □

□□□□□□□□□□□□:

















:

เมื่อ BTS ได้เปิดตัวโครงการนี้ขึ้นมาก็ได้มีสื่อมวลชนจำนวนมากให้ความสนใจและติดตามข่าวสารเกี่ยวกับโครงการนี้เป็นอย่างมาก โดยเฉพาะอย่างยิ่งในส่วนของ Sea ซึ่งได้มีสื่อมวลชนจำนวนมากให้ความสนใจและติดตามข่าวสารเกี่ยวกับโครงการนี้เป็นอย่างมาก

Our In-house Testing Lab



ISO9001 CE

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX → XXXXXXXXXXXXXXX → PCXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXX EPS 10 → EPSXXXXXXXXXXXXXXXX → XXXXXXXXXXX
 XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXXXXX → IQC10 → XXXXXXXXXXX → XXXXXXX
 XXXXX → XXXXXXXXXXXXXXXXXXXXXXX → XXXXXXX → XXXXXXX → XXXXXXX → XX → XXXXXXXXXXXXXXX



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

[illegible]

11

