

MTB 藍 CE 型:bm02 廠 OEM 雙面透氣孔設計輕便安全



雙面透氣孔設計:

-雙面透氣孔設計，透氣性佳

雙面透氣孔設計: 雙面透氣孔設計，透氣性佳，輕便安全

-雙面透氣孔設計，透氣性佳，輕便安全

雙面透氣孔設計: 雙面透氣孔設計，透氣性佳，輕便安全

-雙面透氣孔設計，透氣性佳，輕便安全 PC 雙面透氣孔設計

- 包装材はEPS 使用
- 包装材仕様: 内箱 10個 外箱 10個 10個入り;10個入り

規格: CE EN1078 規格に準拠

色 白

品名	AU 型:BM02 10個入り
材質	EPS 発泡 & PC 透明
規格	CE EN1078
重量	22 重量
サイズ	縦横, 高さ
サイズ/個	M (52 ~ 58 CM) L (54-61 CM)
重量	305 g
個数	7 個
MOQ	300pcs
包装仕様	PP 袋 + 内箱 10個入り + mastercarton

色 白









□□□□□□□□ :

[illegible]

00000000000000000000 0 00 0 000

condierably

condierably

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.


Helmet Size Chart

Helmet size is determined by the circumference of the head. The chart below provides a general guide to helmet sizing. It is important to note that helmet sizing can vary between different manufacturers and regions. Always consult the manufacturer's instructions for the most accurate sizing information. & Please note that the chart is a general guide and should not be used as a substitute for professional advice.



ISO9001 CE

CERTIFICATE



15

standards.c

15

→ PC → PC → EPS → EPS → IQC →



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

[illegible]

SHIPPING

