□□□□ - □□□□□□□□□□□□□□□□□

---□□□/□/□□□□□□CE EN12492□□□□□□□□□□□□□

Nine color ways
Black color
White
Navy blue pantone 7689 C
Pink pantone 806
Red pantone 185 C
Lime green pantone 375 C
Yellow pantone 3965 U
Orange pantone 165 C
Grey pantone 432 C
HELMETS
AU–MO2
Safety helmet | 375g | EN 397 | ANSI
Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.
WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK
SGS
CE
ANSI
Safety helmet
Work at height | electrician | intakes
The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.
Intakes material:
Aluminum
Nylon
Helmet specification
Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

□□□□□□

□□□□□	AU-M02□□□□□□□□□□□□□
□□□	PP□□□□□□□
□□□□□□□□	PU□□□□□□□□□□EPS□□□□
□□□□□	ABS / PP□□□
□□□□□□	PE□□□□□□□
□□□□□□□□□□	51□62□□□□□□□□
□□	407□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□	□□□□□□6.6□□□□□□□□
□□□□□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□
□□□	397□□□□□□□□□CPSC / CE□□□□□□□
□□□□□□	□□□mountaineearing
□□□	□□□□□□□
□□□□□	□□□□□□□□□□□□□□□
□□	PANTONE
OEM□REQ□MOQ	2000 PCS
□□□□□□	1days
□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□40□□□□□

□□□□□	1. PP□□PE□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 2.□□□□□□□□□□
□□□□□	T / T□□□□□□□□□□
□□□□	600,000pcs /□
□□□□□	□□□□□□□□□□□□□□
□□□□□□□□□□□□	CE EN397□CE□EN12492
□□□□□□	□□□□□□□1.□□□□□ 2.□□□□□□□□□□□□□□ □□□□□□□□□□□3.□□□□ 4.□□□□□□□□□□ □□□□□5.□□□ □□6.□□□

□□□□□□□□□□□□□□ofclimbing□

New Arrival!!

Fashionable and Portable headlight

5 colors Optional

□□□□□□□□□□□□□□

□□□□□ISO / DIS 6220□□□□□□□□□□□□□□□...□□LIMAR□SCOTT□SWEET□□□□□□□□□□□□□□□□□□□□□□□□□□22□□□ 100□80□□□□□□□□□□□□□□□□□□□□□□□□□□□□□100□90□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Helmet Shape 101

European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Packaging

18pcs/ctn

color box:26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability：2500pcs

The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

□□□QC / QA□□□□

Strictly QC before shipment

PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
http://www.proqc.info

Final Inspection Report **No.: GZHG1302003863CE**

RESULTS			
Based upon the results presented,the inspected lot is judged to have been:	**PASS**	**REJECTED**	**PENDING**
	√		

INSPECTION CHECK POINTS

	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√		12
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing: with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		

Aurora
http://www.aurorasport.com

□□□□□□□□□□

INNER HOUSE TESTING

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

CERTIFICATE

SHIPPING

[illegible] helmetwhen [illegible] L'm [illegible]