

오뚜기AU-BM06 (오뚜기) 사출용 플라스틱 용기 (뚜껑)의 성능 및 내구성 시험 결과 보고서

페이지

제목 - 오뚜기AU-BM06 (오뚜기) 사출용 플라스틱 용기 (뚜껑)의 성능 및 내구성 시험 결과 보고서

부제 오뚜기AU-BM06 (오뚜기) 사출용 플라스틱 용기 (뚜껑)

1. 목적
 2. 3D 모델링 및 설계 검토
 3. 재료 선정 (ABS)
 4. 사출 공정 조건 (온도, 시간, 압력) 설정 및 검증
 5. 사출용 PC 용기
 6. 사출용 EPS 용기
 7. 인장, 압축, 충격, 열안정성, 내열변형률 시험
 8. CE-CPSC - ASTM-AS / NZS-TUV-EN1078 시험 결과 보고서
- CE 인증을 위한 AU-BM062 시험 결과 보고서 CPSC 인증서

참고 문헌

1. PC (Polycarbonate) 재료 특성
2. 오뚜기AU-BM06 (오뚜기) innaeseong EPS (Expanded Polystyrene) 재료 특성
3. 사출용 PA (Polyamide) 재료 특성
4. 사출용 PE (Polyethylene) 재료 특성
5. 오뚜기AU-BM06 (오뚜기) R&D 038; 내부; 외부

첨언 사항

CE



» » AURORA SPORTS



>> AURORA SPORTS

□□□□

□□□	□□	□□□□□
1.□□□	□□□/□□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□
2.□□□□□	AU-BM06	
3□□□□□	PC + EPS	PC + EPS □□ - □□□□□ □□□□□□□□□□ □□□□□ □□□□□□□□□□ □ITW □□□□□□□ □□□□□□□□□□□□

4.Visor	□□□□□□□□□□	□□□□□□□□□□□□□□□□□□
5.□□□□□	□□□PANTONE□□□	□□□PANTONE□□□
6.□□□□	S / M□54-59CM□M / L □58□62□□□□□□□□	
7.□□	□□□□□□□□□□□□□□	
8.MOQ	500	300PCS□□□□
9.□□□□□□□	73 * 58 * 35CM	
10.□□	12PCS / CTN	□□□□CTN 10PCS
11.□□□ □□	FOB	
□12.□□□□□□	□□□□□□□	□□
□13.□□□□□□	□□□□T / T□□□□□□□□□□L / C	
14.□□□□ □□□□	4□□7	□□□□□□□□□□□□□□
15.□□□□□ □□□□	20~30	yakro□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

