

Western VG1/CE

Western AU-H07:

1. VG1
2. ABS
3. EPS
- 4.
- 5.
6. &


Western:

| | |
|-----------|--|
| Western | AU-H07 |
| Material | ABS Polysource EPS (Polysource) |
| Color | |
| Finish | ce vg1 |
| Size | XXS-S (51-55 cm); S-M (55-57cm); M-L (57-59cm); L-XL (59-61cm) |
| Weight | |
| Lead time | 3-7 weeks |
| moq | 520PCS |
| Notes | Western: 9 pc/lot Dimensions: * 32 * 53.5 67.5 cm |

Western AU-H07:



AU-H07



INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.




UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.




FRIENDLY DESIGN FOR WOMEN PONYTAIL

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.



ADVANCED MASS VENTILATION SYSTEM

Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.





UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.









Packagaing

Quantity: 9 pc/lot
Dimensions: 67 * * 31.5 52.5 CM
Weight: 4.80 kg
Material: 1pc/PP with 9 DC

Material:

headform:
Standard headform

headform:
Standard headform

headform:
Standard headform condierably



Material:

Standard headform
!EN1078 EN397 EN12492 EN1384 VG1 CPSC
Standard headform!

CERTIFICATE / AUTHENTICATION



XXXXXXXXXXXXXXXXXXXXXXXXXXXX:

XXXXXXXXXX → PC XXXXXXXXXXXX → PC XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → EPS XXXXXXXXXXXXXXXX → XXXXXX EPS → XXXXXXXXXXXX
 XXXXXXXX → XXX → XXXX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXXXXXXXXXX → IQC XX → XXXXXXXXXXXX → XXXXXXXXXXXXXXXX → XXXXXXXX
 XXXXXXXXXXXX → XXXXXXXX → XXXXXXXXXXXX → XX → XX → XXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXXXX?

-XXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXX

oem XXX odm: XXXXXXXXXXXX oem XXX odm XXXXXXXXXXXXXXX

XXXXXXXXXX: XXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX: XXXXXXXXXXXXXXXXXXXXXXX

XXXX: XXXXXXXXXXXXXXXXXXXXXXX



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

24h 3d

SHIPPING

