

Safety helmet with visor exclusively for construction workers/tree cutting



EN166
EN174



CE Certified
Color: Clear
Weight: 65g

New Products





品名	AU-M02 脚踏式脚踏车
材质	PP
表面处理	PU
颜色	ABS / PP
规格	PE
重量	51x62
尺寸	375
厚度	6.6
认证	CPSC / CE
包装	industrial
颜色	PANTONE
OEM REQ MOQ	2000 PCS
交期	1days
起订量	40
备注	1. PP PE 2.
备注	T / T
备注	600,000pcs /
备注	
备注	CE EN397 CE EN12492
备注	1. 2. 3. 4. 5. 6.



Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection






MICRO DIAL ADJUSTMENT

Quick release heading system, made by Nylon material.



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



ISO / DIS 6220 22 LIMAR SCOTT SWEET... 100 80 100 90

SAFETY CE EN397

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Packaging



18pcs/ctn

color box: 26*21.5*11.5cm

mastercarton: 80*45*44CM

20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

QC / QA



PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

□□□□□□□□

“Testing Procedures”



The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test



3. 請說明下列各項之品質管理工具與方法，並說明其適用之時機與情境。
品質管理工具與方法：quantit

4. 品質管理之重要性為何？

品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。

5. 品質管理之目標為何？

品質管理之目標在於提高產品與服務之品質，降低生產成本，並提高顧客滿意度。品質管理之目標應具體、可衡量、可達成、相關且具時效性。

A. 品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。

B. 品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。

C. 品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。

品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。品質管理之重要性在於確保產品與服務之品質，提高顧客滿意度，並降低生產成本。品質管理應貫穿產品生命週期之各個階段，並應建立一套完善之品質管理體系。

6. 品質管理之實施步驟為何？

品質管理之實施步驟包括：制定品質管理方針與目標、建立品質管理體系、實施品質管理、檢查品質管理成效、改進品質管理。

7. 品質管理之工具與方法為何？

A. 品質管理之工具與方法包括：DHL、UPS、TNT、EMS、DHL、UPS、TNT、EMS。品質管理之工具與方法應根據產品與服務之特性進行選擇。

B. 品質管理之工具與方法包括：SAFETY、CE、EN397。品質管理之工具與方法應根據產品與服務之特性進行選擇。