□□□□ - □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
---□□□□□□□□□□□□□□□□□□□□□

Safety helmet with visor exclusively for construction workers/tree cutting

EN166
EN174

CE Certificated
Color：Clear
Weight：65g

New Products

http://www.helmetsupplier.com

□□□□□□□□□□□□□□□□□□□□□□

□□□□□	AU-M02 □□□□□□□□□□□□□□□□□
□□□	PP□□□□□□□
□□□□□□□□	PU□□□□□□□□□□□□□□□□□□□

HELMETS

Nine color ways

AU-MO2

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK

Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

Area of application safety helmets

Power generation

Iron tower

BTS station

Coal mining

Work at height

Petrochemical refining

Offshore oil and gas

Plumber

Cable car maintenance

Mobile plant maintenance

Aircraft Maintenance

Pulp&paper

Civil infrastructure

Sea rescue

Roof Cleaning

Hiking

SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection

MICRO DIAL ADJUSTMENT

Quick release headring system, made by Nylon material.

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.

□□□□□□□□□□□□□□

□□ ISO / DIS 6220□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□22□□□□□□□□□□□□□□□□□□□□□□ LIMAR□SCOTT□□□□□□□□□□□□□□□□□□□

Packaging

18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability：2500pcs

The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

□□□QC / QA□□□□

PRO. Q.C. SYSTEMS
Asia – Europe – America

e-mail: technical@proqc.com.hk
http://www.proqc.info

Final Inspection Report **No.: GZHG1302003863CE**

RESULTS

Based upon the results presented,the inspected lot is judged to have been:	PASS	REJECTED	PENDING
	√		

INSPECTION CHECK POINTS

	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√		12
1.6	Unit packing: The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing: with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
	Rating labels stuck on the unit	√		
	Production date on the EPS liner	√		

Aurora
http://www.aurorasport.com

□□□□□□□□□□□

INNER HOUSE TESTING

"Testing Procedures"

The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.

Static Stability Testing

Head type detection


Head Circumference Testing

Conditioning Tests

Shock Absorbing Capacity

dynamic strength test

CERTIFICATE / AUTHENTICATION

Certificate – Сертификат – 证明書 – Certificat – 증명서 – 証明

Verification of Compliance

Certificate's Holder: SHENZHEN AURORA SPORTS GOODS CO.,LTD.

Product: Rock Climbing Helmet

Verification to: Standard

SGS

Shenzhen Aurora Sports Goods Co., LTD.

EC Directive 89/686/EEC

SGS

Shenzhen Aurora Sports Goods Co., LTD.

EC Directive 89/686/EEC

Certificate – Сертификат – 证明書 – Certificat – 증명서 – 証明

Verification of Compliance

Certificate's Holder: SHENZHEN AURORA SPORTS GOODS CO.,LTD.

Product: Industrial Safety Helmet

Verification to: Standard

外观设计专利证书

SGS

Test Report

PAYMENT AND SHIPPING

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP

HSBC The world's local bank PayPal WESTERN UNION

SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

DHL WORLOWIDE EXPRESS ups FedEx Federal Express

□□□□□□

1□ □□□□OEM□□□□□□□□□□□□□□ □

□□□□□□□□□□□□□□□OEM□□□□□□□□□□ □□□□□ □□□□□ □□□□□□□□□□□□□□□□

3□ □□□□