

Nine color ways



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

HELMETS

AU-M02

Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE
RED
YELLOW
ORANGE
GREEN
BLUE
BLACK
GREY
PINK



Safety helmet

Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:
Aluminum
Nylon

Helmet specification

Norm: EN 397
Outer shell: PP, Polypropylene
Size: universal 51-62cm headform
Weight: (without ear defenders or visor):375g
Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink

安全头盔	AU M02 安全头盔
材质	ABS 和 PP 材质
重量	PU 安全头盔 重量 重量 重量 重量 重量 重量
颜色	PE 安全头盔
安全头盔 安全头盔 安全头盔	安全头盔 4.1 安全头盔
安全头盔	30-35 dB NRR 安全头盔
安全头盔	PC 安全头盔 安全头盔/ PC 安全头盔 安全头盔 安全头盔
安全头盔	安全头盔 安全头盔安全头盔安全头盔
安全头盔/安全头盔	51-62 cm
安全头盔	375 (g) (安全头盔 安全头盔 安全头盔 安全头盔 安全头盔)
安全头盔	10 安全头盔 安全头盔/ 安全头盔 安全头盔
安全头盔	安全头盔
安全头盔	CE CS 12492 / 397
安全头盔 安全头盔	3-7 安全头盔
安全头盔 安全头盔	安全头盔安全头盔安全头盔 安全头盔安全头盔 安全头盔安全头盔 ITW 安全头盔安全头盔 安全头盔 安全头盔

00 00

1. PP 0000 PE 0000 000 0000 00 00
00 000 0000 0000 0 00000000
- 2 0000 00 00

00000 0000000000:

- 1) 0000000000 LED 000: 000000000.
- 2) 0000000000000000 0000 000: 000 000000 0000,000000000000 000000.
- 3) 000000000000000000000000 00000000000000 0000000000000000: 00000 000000000 000,000 000000 00000.



SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black
Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black
earmuff good sound insulation
faceshield iron mesh



Safety helmet with plastic visor

The set is compatible with our special visor and earmuff.
AU-M02 white
Red
Yellow
Orange
Blue
Green
black
black
Visor plastic with eye protection
earmuff good sound insulation



Quick-ReLease Ratchet 0000djuster

0000000000000000 N 0000000000000000




QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

(G) 000000 T R 000000 (F) 000

0000 ISO/DIS 6220 000000000000000000000000 90% 0000000



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



SOFT WASHABLE PADS

washable and interchangeable sweat band.

Полностью черный LED светильник

из abs (поликарбонат) с регулируемой яркостью



PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.

CE (F) (E)armuff 32ND M

CE NRR 28 db



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection



CE (F) (E)armuff 32ND M

CE NRR 28 db

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

□□□□□: □□□□□□□□□□


□□□□□□□□□□: 12 Pc/□□□□

□□□□□□□: 73 X 58 X 35 cm

□□□: 6.50 kg

□□□□□□□□: 1 □/PP □ wth □□□ □□□□□□□□□ □□□ 12 □

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



--	--	--	--	--	--	--	--	--

[illegible]

Our In-house Testing Lab



□□□□:

□□□□□□□□□□□□□□□□

鋼板 鋼板 → PC 鋼板 鋼板 → PC 鋼板 鋼板 → 鋼板 鋼板 鋼板 鋼板 → 鋼板 EPS 鋼板 → EPS 鋼板 → 鋼板 鋼板 鋼板 鋼板
 鋼板 鋼板 → 鋼板 → 鋼板 → 鋼板 鋼板 鋼板 → 鋼板 鋼板 鋼板 鋼板 → IQC 鋼板 → 鋼板 鋼板 → 鋼板 鋼板 → 鋼板 鋼板 鋼板 鋼板
 鋼板 鋼板 → 鋼板 鋼板 → 鋼板 → 鋼板 → 鋼板 → 鋼板 鋼板 鋼板 鋼板 鋼板

