□□□□

VENTILATION SYSTEM

Small vents design, it can keep warm but with the aerodynamic efficiency.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability

HIGH DENSITY EPS FOAM

Impact-absorbing material,
offering great protection on our head.

□□□□□□□ □□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□

Our In-house Testing Lab

□□□

□□□□□□□□□□□□□□□□□□□□ISO9001□□□□□□□CE□□□□□□□□□□□□□□□□□□□

CERTIFICATE

□□□□

□□□□□□□□□□□□□□□□□□□□□□15□□□□□□□□□□□□□□□□□□□

CUSTOMIZE FOR BRAND

□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□ → PC□□□□□□□□□□ → PC□□□□□□□ → □□□□□□□ → □□□□□□□□EPS□□□ → EPS□□□□□□□□□□□ → □□□□□□□□□□□ □□□□□□□□ → □□□□□□□□□ → □□□□□ → □□□□□□□□□ → □□□□□□□□□□□□□□□ → IQC□□ → □□□□□□□ → □□□□□□□□□□ → □□□ □□□□□□□ → □□□□□□□ →□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□

Production Procedure



□□□□□□□□□

□□□□□□□□

SHIPPING