□□□□ □□□ □□□□□□CE □□□ AU S05 □□ □□□ □□□□□

□□□ □□□□□□□□□□:

□□□□□□□□□□□ AU S05 □□□ □□□□□□□□□□□□□□□□□□□□□□□□ □□!□□□□□□□□□□□ PC + EPS □□□□□□□□□□□□□□□□□□□□10 □□□□□□□□□□□□□□□□□□□□

2016 New Double Inmold Lightweight skateboard helmet

2016
NEW

CE Certificated
Size: S/M; M/L
Weight: 430g

Super Light

http://www.helmetsupplier.com

□□ □□□□□□□□□□□□□□□□:

1. □□□□: □□

2. □□ PC □□□□□□□□□□□□□□□□□□□□□□

3. □□□□□□ EPS □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4. 360 ° □□□□□□□□□□□□□□□ □□

5. □□□□□□□□□□□□□□□□ PP □□□□□□□□□□□□□□□□□□□□

59-64

SHRED

□□□□□□□□□□□□□□□□:

□□□□□□□□□:

□□□□□□□□□□□□□□□


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□□□□□ □□

□□□□□□

Our In-house Testing Lab

□□□□□□□□□: □□□□ ISO9001□□□□□□□□□CE □□□□□□□□□□□□ □□□□□□□□□□□□

CERTIFICATE

□□□□

□□□□ □□□□□

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□□□□:

□□□□□□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□ → □□□□□□□□□□□□ → □□□□□ EPS □□ → EPS □□□ → □□□□□□□□□□ □□□□ → □□□□□ → □□ → □□□□□□□□□ → □□□□□□□□□□□ □□□□□ → IQC □□ → □□□□□□□□ → □□□□□□□□□□ → □□□□□□□□□□□□□□□□□ → □□□□□ →□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□□□

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□□□:

□□□

SHIPPING