

□□□/□□	M 52-57 CM
□□	205 g
□□□□□□	7 □□
MOQ	300pcs
□□□□□□□□	PP □ + □□ □□□□ □□□□□□ + mastercarton

□□ □□□□□□□□□□□□□□□□:

1. □□□□□□ 205 g □□□□□□
2. PC □□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□ EPS □□□□□□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□ □□□□□□PA □□□□□□ (□□)□□□□□□□□□□
5. □□□□□□ □□□ □□□□□□□□□□□□□□□□□□□
6. □□: CE EN1078 □□□□□□□□□□□□.











Packaging

Quantity: 12 units/case

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Material: 1 PC/PP with 12 units



CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□□□□:

□□□□□□□□□□□□□□□□

□□□ □□□□□ → PC □□□□□ □□□□□ → PC □□□□□□□□ → □□□□□□□□□□□□□□ → □□□□□□ □□ → EPS □□□ → □□□□□□□□□□ □□□ □ → □□□□□□ → □□ → □□□□□□□□□□ → □□□□□□□□□□□ □□□□□ → IQC □□□ → □□□□□□□□□ → □□□□□□□□□□□□ □□□□□ → □□□□□□□ → □□□□□□□□ → □□ → □□ → □□□□□□□□□□□□□□□□

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□□□:

□□□□□□□□ □□□□□□□□□□: DHL□TNT□UPS□□□□□□□□□□EMS □□□□□□□□.□□□□□□□□□□□□□□

SHIPPING

